

INDEX, 1960, NOS. 1-4

NEW NAMES

Astronesthes nigroides, 134
bifilis, *Eustomias*, 202
Blenniulus proteus, 326
borneensis, *Phoxophrys*, 222
bulbornatus, *Eustomias*, 200
Chiropterotriton megarhinus, 304
dicei pineus, *Eumeces*, 19
Eumeces dicei pineus, 19
Eustomias bifilis, 202
Eustomias bulbornatus, 200
Gobiesox marijeanae, 215
izabalensis, *Potamarius*, 104
Laurentophryne, 226
marijeanae, *Gobiesox*, 215
megarhinus, *Chiropterotriton*, 304
Mertensophryne, 226
Metavelifer, 246
nigroides, *Astronesthes*, 134
Phoxophrys borneensis, 222
Physalaemus riograndensis, 87
pineus, *Eumeces*, *dicei*, 19
Potamarius, 101
Potamarius izabalensis, 104
proteus, *Blenniulus*, 326
riograndensis, *Physalaemus*, 87

ESTABLISHED NAMES

Abastor erythrogrammus, 31
Ablennes hians hians, 172
Ablepharus brandti festae, 154
absitus, *Tomicodon*, 216
abscondens, *Chiropterotriton*, 308
Acacia cymbispina, 99
Acanthodactylus, 154
Acanthocybium solanderi, 177
Acanthurus coeruleus, 335
acclinidens, *Cyclothone*, 174
acicularis, *Eleocharis*, 74
Acipenser brevirostrum, 142
oxyrhynchus, 142
Acris, 300
gryllus, 55, 303
Acrocheilus alutaceum, 71-73
actesoma, *Spinoblennius*, 332
Actinopyga mauritiana, 255
aculeatus, *Gasterosteus*, 141
aculeatus leiurus, *Gasterosteus*, 350
aculeatus williamsoni, *Gasterosteus*, 349
Aedes, 313, 318
sollicitans, 313, 318
taeniorhynchus, 313, 318
aestivalis, *Alosa*, 142
aestivus, *Ophiodrys*, 29-32
Aetobatus narinari, 174
affinis, *Elops*, 220
affinis, *Argyropelecus*, 174

affinis, *Gambusia*, 204, 209
affinis, *Stomias*, 174
afra, *Nectophryne*, 226
africana, *Agama agama*, 94, 96
Agama, 95-96, 221
agama, 95
agama africana, 94, 96
agilis, 153
caucasica, 153
pallida, 153
persica, 153
runderata, 153
agassizi, *Chelogaster*, 253
agassizi, *Chlorophthalmus*, 354
agilis, *Agama*, 153
Agonostomus, 67
Agosia chrysogaster, 218-219
aguadulce, *Arius melanopus*, 101
alaluga, *Thunnus*, 177
alata, *Crescentia*, 99
albescens, *Remorina*, 178
ablicans Istiophorus, 150
albida, *Makaira*, 150
albigutta, *Paralichthys*, 254
albotaeiata, *Pelophryne*, 226
Albula vulpes, 174
album, *Scaphirhynchus*, 253
Alburnops nubilus, 253
albus, *Parascaphirhynchus*, 253
Alepisaurus, 243
alexanderi, *Neoscaphiopus*, 90
alexanderi, *Scaphiopus* (*Neoscaphiopus*), 90
alexanderi, *Spea*, 93
Alopias vulpinus, 173
Alosa, 125, 128
aestivalis, 142
mediocris, 142
pseudoharengus, 142
sapidissima, 142
alpinus, *Salvelinus*, 16-19, 249
altavela, *Gymnura*, 137, 138, 139
altipinnis, *Micropogon*, 262
alutaceum, *Acrocheilus*, 71-73
Alutera monoceros, 179
scripta, 179
alvarius, *Bufo*, 233-236
Amaroucium, 354
Ambloplites rupestris, 143
Ambystoma, 371
gracile, 44-46
macroactylum, 44-46
tigrinum, 363
tigrinum diaboli, 364
tigrinum melanostictum, 372
americana, *Neopinnula orientalis*, 213
americanus, *Ammodytes*, 70
americanus, *Bufo*, 59

- americanus*, *Bufo terrestris*, 57
americanus, *Esox*, 142
americanus, *Roccus*, 143
Amia calva, 142
Ammocoetes argenteus, 337
hirudo, 337
Ammodytes americanus, 70
Amphioxides pelagicus, 171
Anacyrus tectifer, 255
analis, *Anchoviella*, 250, 252
analis, *Scopelarchus*, 175
anascopa, *Dolichopteryx*, 148
compressa, 251, 52
curta, 252
exigua, 252
lucida, 252
mitchilli, 142
mundeoloides, 252
naso, 252
panamensis, 252
schultzi, 252
Anchovia macrolepidota, 252
Anchoviella analis, 250, 252
Ancistrodon contortrix, 58
contortrix mokeson, 58
andersoni, *Hyla*, 303
Anguilla rostrata, 142
anectens, *Priapichthys*, 204, 209
annularis, *Pomoxis*, 143
anogenus, *Notropis*, 253
Anolis carolinensis, 60, 94
anomatum pullum, *Camptostoma*, 253
Anoplogaster cornuta, 176
Anotheca, 300
Anotheca coronata, 303-304
Ansonia, 226-233
Ansonia muelleri, 226
Antimora rostrata, 176
Apeltes quadracus, 143
Aphredoderus sayanus, 141, 253
Aplodinotus, 67
grunniens, 181-185
Apoplanesia paniculata, 99
arborea, *Hyla*, 303
arborea savignyi, *Hyla*, 153
Arcos erythroptis, 217
argenteus, *Ammocoetes*, 337
argenteus, *Ichthyomyzon*, 337
argenteus, *Eucnostomus*, 70-71
Argyropelecus, 174
affinis, 174
sladeni, 174
Arius, 103
burmanicus, 104
dasycephalus, 333
liropus, 219
melanopus, 101, 107, 110
melanopus aguadulce, 101
melanopus melanopus, 101
armatus, *Nematonurus*, 172
artedi, *Hypomus*, 131
Artemia, 317
Ascapus, 240
truei, 240
assimilis, *Galeichthys*, 107
Astronesthes, 136
cyaneus, 134-135
filifer, 134
niger, 134-136
nigroides, 134-136
richardsoni, 134-135
splendidus, 134-135
Astroscoptes, 133
131
y-graecum, 131-132
Asymmetron lucayanum, 172
lucayanum, 171
atromaculatus, *Semotilus*, 142
Atelopus, 227
atlantica, *Megalops*, 146
atlanticus, *Diogenichthys*, 175
atlanticus, *Megalops*, 311-319
atlanticus, *Tetragonurus*, 177
atra, *Holothuria*, 255
atratus, *Rhinichthys*, 142
atratus, *Pentherichthys*, 179
artrimana, *Scartella*, 326, 332
atrum, *Cyema*, 175
attenuatus, *Ophisaurus*, 46-47
augusticeps, *Bufo*, 230
aurata aurata, *Mabuya*, 154
aurata septemtaeniata, *Mabuya*, 154
auratus, *Carassius*, 142
aurea, *Hyla*, 303
aureolus, *Salvelinus*, 249
auritus, *Lepomis*, 143
aurora, *Rana*, 50
australis, *Cnemidophorus*, *sacki*, 100
australis, *Remilegia*, 178
Auxis thazard, 177
avivoca, *Hyla*, 55
Bagre marinus, 107, 109
Balanus, 335
balteatus, *Richardsonius*, 72
barbouri, *Physalaemus*, 87, 89
barbarus, *Messor*, 154
barbarus semirufa, *Messor*, 154
barnesi, *Gonichthys*, 175
barracuda, *Sphyræna*, 172
Bathylchnops, 147
exilis, 136, 147-148
bathophilus, *Taaningichthys*, 175
Bathysaurus ferox, 172
Batrachoides goldmani, 101
baudini, *Hyla*, 300, 304
baudini, *Smilisca*, 302-303
bauri, *bauri*, *Kinosternon*, 53

- bauri palmarum*, *Kinosternon*, 53
bdellium × *castaneus*, *Ichthyomyzon*, 345
bdellium, *Ichthyomyzon*, 338–339, 342–344
beani, *Cichlasoma*, 220
bebe, *Hyperopisus*, 131
belli, *Eumeces*, 284–286
belli, *Eumeces lynce*, 284–286
belizanus, *Belonesox*, 204, 209
Belonesox, 205
 belizanus, 204, 209
Benthosema suborbitale, 175
beryllina, *Menidia*, 143
bicolor orientalis, *Cataglyphis*, 153
bifilis, *Eustomias*, 202
bifrenatus, *Notropis*, 142
bigelowi, *Eustomias*, 201
biligonigerus, *Liuperus*, 84
biligonigerus, *Paludicola*, 84
biligonigerus, *Physalaemus*, 84–86, 89
bimaculatus, *Pseudoxiphophorus*, 204, 209
binocularis, *Dolichopteryx*, 147–148
bipinnulatus, *Elagatis*, 176
birostris, *Manta*, 174
bischoffi, *Paludicola*, 86
bischoffi, *Physalaemus*, 86
biseriatus, *anostomias*, 136
biseriatus, *Melanostomias*, 203
bislineata, *Eurycea*, 58, 310
bislineata bislineata, *Eurycea*, 362
bislineata rivicola, *Eurycea*, 57
bistincta, *Hyla*, 303
blanchardi, *Opheodrys vernalis*, 30
Blennioides, 322–336
 brevipinnis, 322–324, 326–336
 proteus, 324–334
Blennius brevipinnis, 323, 331–333
blennius jejunos, *Notropis*, 253
boehlkei, *Tomicodon*, 216
Boleosoma, 191
 camurum, 254
boliviana, *Phyllomedusa*, 304
bombifrons, *Scaphiopus*, 363
bombifrons, *Spea*, 91–93
Bombina variegata, 275
borneensis, *Phoxophrys*, 222–223
Bosmina, *sp.*, 124
Brachycephalus, 227
brachyptera, *Remoropsis*, 178
Brachyrhaphis, 205
 solomina, 204, 209
brachyrhynchus, *Dolichopteryx*, 148, 149
Brama, 177
 brama, 177
 raii, 177
brandti festae, *Ablepharus*, 154
brasiliensis, *Isistius*, 173–245
 brevipinnis, *Blennioides*, 322–324, 326–336
 brevipinnis, *Blennius*, 323, 331–333
 brevipinnis, *Homesthes*, 331
 brevipinnis, *Hypsoblennius*, 331
 brevipinnis, *Isesthes*, 331
 brevipinnis, *Scartella*, 331
brevirostris, *Eremias*, 154
brevirostris, *Eumeces*, 20
brevirostrum, *Acipenser*, 142
Brevoortia tyrannus, 142
bromeliacia, *Chiropterotriton*, 305–310
bromeliacia, *Hyla*, 303
brucus, *Echinorhinus*, 173
brunnea, *Hyla*, 303
Buenoa scimitra, 315
Bufo, 225–233
 alvarius, 233–236
 americanus, 59
 augusticeps, 230
 calamita, 230
 coccifer, 235
 cognatus, 364
 fenouelhethi obtusum, 226
 funereus, 230
 kelloggi, 233–236
 lonnbergi nairobiensis, 226
 marinus, 233–236
 marmoreus, 233–236
 mauritanicus, 230
 mazatlanensis, 233–236
 melanopleura, 226, 228
 (micranotis) rondoensis, 226
 occidentalis, 233–236
 parkeri, 226
 punctatus, 233–236
 quercicus, 55
 raddei, 230
 regularis, 230
 taitanus, 230
 taitanus nyikae, 226
 terrestris americanus, 57
 valliceps, 235
 viridis, 153
 vertebralis, 226
 vittatus, 226
 woodhousei, 58
 woodhousei fowleri, 57
bulbornatus, *Eustomias*, 200
burmanicus, *Arius*, 104
Bursera jorullensis, 99

caballus, *Mormyrus*, 131
Cacophryne, 227
caerulea, *Sardinops*, 126, 128
Caesalpina platyloba, 100
calamita, *Bufo*, 230
calidipes, *Cnemidophorus*, 97–101
californiae, *Lampropeltis getulus*, 237
callidryas, *Phyllomedusa*, 303
Callinectes, 140
calva, *Amia*, 142
Campostoma anomalum pullum, 253

- Campostoma ornatum*, 220
camurum, *Boleosoma*, 254
cana, *Pseudaspis*, 155
canadus, *Rachycentron*, 178
Canthidermis maculatus, 172
capellei, *Lophotus*, 176
caprodes, *Percina*, 1-8, 69, 186
Caranx dentex, 176
 hippos, 176
 lugubris, 176
Carapus homei, 255
Carassius auratus, 142
carbunculus, *Etelis*, 172
Carcharhinus
 lamia, 351
 limbatus, 173, 350
 longimanus, 173
 melanopterus, 257
 menisorrhah, 257
Carcharias taurus, 351
Carcharodon carcharias, 173, 243
Cardiocondyla, 154
 nuda mauretania, 154
carinatus, *Chironius*, 368
carinatus, *Zaocys*, 368
Carlhubbisia, 107, 205
carolina carolina, *Terrapene*, 58
carolinensis, *Anolis*, 60, 94
carolinensis, *Gastrophryne*, 55
carpio, *Cyprinus*, 72, 142, 219, 338
castaneus \times *bdellium*, 345
castaneus, *Ichthyomyzon*, 337-345
castaneus, *Petromyzon*, 337
Cataglyphis bicolor orientalis, 153
cataractae, *Rhinichthys*, 72, 142
catesbeiana, *Rana*, 50-51, 155
Catostomus catostomus catostomus, 141
 catostomus nannomyzon, 141
 commersoni, 120, 124, 142
 insignis, 219
 macrocheilus, 72, 119-125
 wigginsi, 219
catus, *Ictalurus*, 142
caucasica, *Agama*, 153
caudimaculatus, *Phalloceros*, 204
caudofasciata, *Limia*, 204, 207
Caulophryne jordani, 179
caulopus, *Homesthes*, 327
caurinus, *Leuciscus*, 73
caurinum, *Mylocheilus*, 72
cavalla, *Scomberomorus*, 70
Centrobranchus nigroocellatus, 175
Centropomus, 252
cephalum, *Pelturagonia*, 223
cephalus, *Mugil*, 73, 178
cephalum, *Phoxophrys*, 222-225
Ceratias holboelli, 179
Ceratoscopelus townsendi, 174
Cercidium pleurifoliolatum, 99
Cetorhinus maximus, 173, 244
Chaenophryne parviconus, 179
Chascanopsetta lugubris, 172
Chelydra serpentina serpentina, 57
Chiasmodon niger, 178
Chironius carinatus, 368
Chiropterotriton, 304-305, 308
 abscondens, 308
 bromeliacia, 305-310
 chiropterus, 310
 chondrostega cracens, 310
 dimidiatus, 310
 megarhinus, 304-310
 multidentatus, 310
 nasalis, 308
 picadoi, 308
 xolocalcae, 305-310
chiropterus, *Chicopterotriton*, 310
Chirostoma, 101
chloronotus, *Stichopus*, 255
Chlorophthalmus agassizi, 354
chlorosomum, *Etheostoma*, 254
Chologaster agassizi, 253
 papilliferus, 253
Chondracanthus, 145
chondrostega cracens, *Chiropterotriton*, 310
Chrosomus eos, 141
 erythrogaster, 253
Chrysemys picta marginata, 57
chrysogaster, *Agosia*, 218, 219
Cichlasoma, 101
 beani, 220
cinerea, *Hyla*, 55, 303
cinereus, *Plethodon*, 58, 288, 294-295
cinereus cinereus, *Plethodon*, 57, 362
cirratum, *Ginglymostoma*, 64-66
clamitans, *Rana*, 57-58
clarki, *Pseudacris*, 48
Clemmys insculpta, 155
clemsonae, *Plethodon jordani*, 26, 27, 29
Clupea alosa, 125, 128
 harengus, 125, 128
 sprattus, 126
clupeiformis, *Coregonus*, 198, 200
Cnemidophorus
 calidipes, 97-101
 communis communis, 100
 deppei, 100-101
 deppei infernalis, 100
 lineatissimus exoristus, 99, 100
 parvisocius, 98
 sacki, 97, 100
 sacki australis, 100
Cnesterodon decemmaculatus, 204
coccifer, *Bufo*, 235
coeruleus, *Acanthurus*, 335
cognatus, *Bufo*, 364

- cognatus*, *Cottus*, 137, 143
- Coluber*
 - constrictor*, 58
 - constrictor flaviventris*, 58, 237
 - constrictor priapus*, 58
 - ventromaculatus*, 154
- commersoni*, *Catostomus*, 120, 124, 142
- communis communis*, *Cnemidophorus*, 100
- compressa*, *Anchoa*, 251–252
- compressus*, *Ophisaurus*, 46–47
- compressus*, *Stolephorus*, 252
- concolor*, *Ichthyomyzon*, 337–338
- confluens*, *Natrix sipedon*, 33
- conirostris*, *Pimelodus*, 110
- Conorhynchichthys*, 111
- Conorhynchos*, 101–102, 110–111
 - nelsoni*, 101, 108, 111
- Conostoma*, 111
- Conostomum*, 111
- Conostomus*, 110
- contortrix*, *Ancistrodon*, 58
- contortrix makeson*, *Ancistrodon*, 58
- Constrictor*, 236
 - constrictor constrictor*, 238
- corais corais*, *Drymarchon*, 367–368
- corais couperi*, *Drymarchon*, 51
- corais melanurus*, *Drymarchon*, 367–368
- Cordia elegans*, 100
- Coregonus*, 198
 - clupeaformis*, 198, 200
- cornuta*, *Anoplogaster*, 176
- cornutus*, *Notropis*, 1, 142
- coronata*, *Anotheca*, 304
- coronella fraseri*, *Eirenis*, 154
- corporalis*, *Semotilus*, 142
- corsula*, *Rhinomugil*, 67
- cortezi*, *Xiphophorus montezumae*, 204
- Coryphaena equiselis*, 177
 - hippurus*, 177
- Cottus cognatus*, 137, 143
- couchianus*, *Xiphophorus*, 204
- couesi*, *Cryptopsaras*, 179
- Couesius plumbeus*, 141
- coulteri*, *Guaiacum*, 99
- coulteri*, *Prosopium*, 192, 198, 200
- couperi*, *Drymarchon corais*, 51
- cracens*, *Chiropterotriton*, *Chondrostega*, 310
- cremnobates*, *Starksia*, 75
- crepitans*, *Hyla*, 303
- Crescentia alata*, 99
- cristatus*, *Trachipterus*, 176
- Crotalus*
 - horridus horridus*, 366–367
 - ruber*, 238
 - ruber ruber*, 238
- crucifer*, *Hyla*, 58–59, 303
- crucifer crucifer*, *Hyla*, 57
- cruentatus*, *Priacanthus*, 176
- crumenophthalmus*, *Selar*, 176
- Cryptobatrachus*, 300
 - fuhrmani*, 304
- Cryptopsaras couesi*, 179
- crystoleucas*, *Notemigonus*, 73, 74, 142
- curema*, *Mugil*, 220
- curta*, *Anchoa*, 252
- cuvier*, *Galeocercus*, 64–66
- cuvieri*, *Galeocercus*, 173
- cuvieri*, *Physalaemus*, 84–86
- cyaneus*, *Lepomis*, 143, 220
- cyaneus*, *Lepomis* × *macrochira*, 253
- cyaneus*, *Astronesthes*, 134–135
- cyanura*, *Emoia*, 94
- cyclopion*, *Natrix*, 53–54
- Cyclops*, 43
- Cyclothone*
 - acclinidens*, 174
 - microdon*, 174
 - pallida*, 174
 - signata*, 174
- Cyema atrum*, 175
- cylindraceum*, *Prosopium*, 142, 192, 198, 200
- cymbispina*, *Acacia*, 99
- Cyperus*, 218
- Cyprinodon variegatus*, 142
- Cyprinus carpio*, 72, 219, 338
- dacnicolor*, *Phyllomedusa*, 303
- Dalatias licha*, 172
- Daphnia*, *magna*, 69
- dasycephalus*, *Arius*, 333
- dasycephalus*, *Galeichthys*, 333
- Dasyptis*, 59, 154
 - fasciata*, 154
 - scabra*, 155
- decemmaculatus*, *Cnesterodon*, 204
- Dendrophryniscus*, 227
- dentatus*, *Paralichthys*, 254
- dentex*, *Caranx*, 176
- deppei*, *Cnemidophorus*, 100–101
- deppei inferalis*, *Cnemidophorus*, 100
- Desmognathus fuscus fuscus*, 362
- diaboli*, *Ambystoma tigrinum*, 364
- Diadophis*
 - punctatus*, 58
 - punctatus edwardsi*, 58
 - punctatus punctatus*, 49
- Diaglena*, 300
 - spatulata*, 304
- diaphana*, *Sternopyx*, 174
- diaphanus*, *Fundulus*, 142
- Diaphus dumerili*, 175
- Diapterus*, 107
- dicei*, *Eumeces*, 19–26
- dicei dicei*, *Eumeces*, 19–26
- dicei pineus*, *Eumeces*, 19–26
- Dictyosphaera*, 331
- Didynamipus*, 227

- Diemictylus*, 372
dimidiatus, *Chiropoterotriton*, 310
Diodon
 holacanthus, 178
 hystrix, 178
Diogenichthys atlanticus, 175
Dionda nubila, 253
dissectus, *Leptotyphlops*, *dulcis*, 368
distachya, *Mimosa*, 99
ditaenia, *Gila*, 219
diversus, *Scaphiopus*, 89, 92-93
diversus, *Spea*, 93
doliata doliata, *Lampropeltis*, 49
Dolichopteryx, 147
 anascopa, 148
 binocularis, 147-148
 brachyrhynchus, 148-149
 longipes, 147-148
dolomieu, *Micropterus*, 143
Dolopichthys longicornus, 179
dominicensis, *Gambusia*, 204, 205, 209
dominicensis, *Hyla*, 303
dominicensis, *Limia*, 204
Dormitator latifrons, 220
Dorosoma smithi, 218
dorsalis, *Plethodon*, 57
doryssus, *Gasterosteus*, 349
Drymarchon, 367-368
 corais corais, 367-368
 corais couperi, 51
 corais melanurus, 367-368
ductor, *Naucrates*, 176
dugesii, *Eumeces*, 20
Dugesia tigrina, 69
dulcis dissectus, *Leptotyphlops*, 368
dulcis, *Leptotyphlops*, 368
dumerili, *Diaphus*, 175
dumerili, *Squatina*, 245
durangoensis, *Eumeces lynxe*, 284

Echinorhinus brucus, 173
ectenes, *Micropogon*, 262
Edriolychnus schmidtii, 179
edwardsi, *Diadophis punctatus*, 58
eglanteria, *Raja*, 258
Eichornia, 218
Eigenmannia virescens, 131
Eirenis coronella fraseri, 154
Elachistodon, 59
elaechroa, *Hyla*, 303
Elaphe, 151
 guttata, 151, 239
 guttata guttata, 239
 obsoleta, 58-59
 obsoleta obsoleta, 58, 237
 obsoleta rossalleni, 151
Elagatis bipinnulatus, 176
electricus, *Electrophorus*, 131

- electricus*, *Malapterurus*, 131-132
Electrophorus, 132-133
 electricus, 131
 eleganoides, *Cordia*, 100
 elegans, *elegans*, *Ophiops*, 154
 elegans, *Pseudemys scripta*, 360-361
Eleocharis acicularis, 74
elisae, *Phyllodactylus*, 153
elongata, *Pellona*, 126
Elops affinis, 220
 saurus, 146, 311-317
Emoia cyanura, 94
 wernerii, 94
enchrasicholus, *Engraulis*, 125
Engraulis enchrasicholus, 125
Enneacanthus obsesus, 143
Enhydrina, 53-54
eos, *Chrosomus*, 141
Etelis oculatus, 172
Eopelobates, 93
Epinnula, 211-212, 214
 magistralis, 211
Episema jejuna, 253
Equetus, 67
equisetis, *Coryphaena*, 177
Eremias brevirostris, 154
Erimyzon oblongus, 142
erinacea, *Raja*, 258
erythrogaster, *Chrosomus*, 253
erythrogrammus, *Abastor*, 31
erythrops, *Arcos*, 217
Esox
 americanus, 142
 lucius, 142-143
 niger, 142
Etelis carbunculus, 172
Etheostoma
 chlorosomum, 254
 fusiforme, 143
 kanawhae, 354
 lepidum, 1-8, 69
 longimanum, 241
 nigrum, 143, 191
 nigrum nigrum, 241-243
 olmstedii, 241
 osburni, 354
 radiosum, 69
 spectabile, 1-8, 69
 vitreum, 186-192
Etrumeus sadina, 70
Eucalia inconstans, 142
Eucinostomus
 argenteus, 70-71
 gula, 70
eugrammus, *Gobiesox*, 216
Eulamia
 lamia, 351
 limbata, 350

Euleptodon
Eumeces
 belli, 2
 brevirostris
 dicei, 2
 dicei d
 dicei p
 dugesii
 fasciata
 fasciata
 lynxe
 lynxe
 lynxe
 sumichrati
 sp., 280
Eupemphys
Eupharyngodon
Eurycea
 bislineata
 bislineata
 bislineata
 longicauda
 longicauda
Eustomia
 bifilis
 bigelovi
 bulbosus
 fissibarbus
 longibarbus
 tenisoni
eximia, 1
exilis, *Ba*
exigua, *A*
eximia, *B*
Exoglossa
exoristus
 100

faber, *H*
falcatus
fasciata
fasciatus
fasciatus
fasciola
felis, *Ga*
femorali
fenouell
feriarum
fernandi
fernandi
ferox, *Bo*
ferox, *sp*
festae, *A*
festivus
filifer, *A*
fissibarbus

- Euleptorhamphus velox*, 73
Eumeces, 23, 46, 284
 belli, 284–286
 brevirostris, 20
 dicei, 23, 19–26
 dicei dicei, 19–26
 dicei pineus, 19–26
 dugesi, 20
 fasciatus, 58
 fasciatus linnaeus, 369
 lynxe, 284–286
 lynxe belli, 284–286
 lynxe durangoensis, 284
 sumichrasti, 284–286
 sp., 286
Eupemphidius fuscomaculatus, 85
Eupharynx pelecanoides, 175
Eurycea
 bislineata, 58
 bislineata bislineata, 310, 362
 bislineata rivicola, 57
 longicauda, 58
 longicauda longicauda, 56
Eustomias, 200–203
 bifilis, 202
 bigelowi, 201
 bulbornatus, 200
 fissibarbis, 201
 longibarba, 202
 tenisoni, 202
eximia, *Hyla*, 303
exilis, *Bathelychnops*, 136, 148, 147
exigua, *Anchoa*, 252
eximia, *Hyla*, 303
Exoglossum maxillingua, 142
exoristus, *Cnemidophorus lineatissimus*, 99, 100

faber, *Hyla*, 61–63, 364, 366
falcatus, *Rhinichthys*, 72
fasciata, *Dasyptis*, 154
fasciatus, *Eumeces*, 58
fasciatus linnaeus, *Eumeces*, 369
fasciola, *Idiacanthus*, 174
felis, *Galeichthys*, 104, 109–110
femoralis, *Hyla*, 55–56, 303
fenouelheti obtusum, *Bufo*, 226
feriarum, *Pseudacris triseriata*, 370–371
fernandinus, *Squalus*, 173
fernandezae, *Physalaemus*, 86, 89
ferox, *Bathysaurus*, 172
ferox, *spinifera*, *Trionyx*, 58
festae, *Ablepharus*, *brandti*, 154
festivus, *Lympanyctus*, 175
filifer, *Astronesthes*, 134
fissibarbis, *Eustomias*, 201

flaviceps, *Japalura*, 221
flavescens, *Perca*, 120, 143
flavilata, *Rhadinaea*, 49
flaviventris, *Coluber constrictor*, 58, 237
flavobrunneum, *Lepidocybium*, 177
flesus, *Platichthys*, 112
fodiens, *Pternohyla*, 303
fontinalis, *Salvelinus*, 16–19, 74, 137
formosa, *Mollienesia*, 204
fowleri, *Bufo woodhousei*, 57
fraseri, *Eirenis coronella*, 154
fuhrmani, *Cryptobatrachus*, 304
Fundulus, 139–141, 210
 diaphanus, 142
 grandis, 1
 heteroclitus, 139–142
 luciae, 141
 similis, 1
funereus, *Bufo*, 230
fusca, *Raja*, 258
fuscomaculatus, *Eupemphidius*, 85
fuscomaculatus, *Paludicola*, 85
fuscomaculatus, *Physalaemus*, 84–86, 88–89
fuscus, *Pleobates*, 275
fuscus fuscus, *Desmognathus*, 362
fusiforme, *Etheostoma*

gabbi, *Hyla*, 302–303
gabbi, *Smilisca*, 304
Gadomus longifilis, 176
gairdneri, *Salmo*, 17, 142, 247–248, 260
Galeichthys assimilis, 107
 dasycephalus, 333
 felis, 104
Galeocercus cuvier, 64–66, 173, 257
Gambusia, 205
 affinis, 209
 dominicensis, 204, 205
 geiseri, 204
 gracilior, 204, 209
 howelli, 204, 209
 nicaraguensis, 204, 209
 nobilis, 204, 209
 oligosticta, 204, 209
 panuco, 204, 209
 punctata, 204, 209
 senilis, 204, 209
 vittata, 204
garmani, *Lepomis*, 254
Gasterosteus
 aculeatus, 141, 349
 aculeatus leiurus, 350
 aculeatus williamsoni, 349
 doryssus, 349
 santae-annae, 349
 williamsoni, 348–350
 williamsoni williamsoni, 349
Gastrophryne carolinensis, 55

- Gastrotheca*, 275
 marcupiatum, 304
geiseri, *Gambusia*, 204, 209
gemellari, *Lobianchia*, 175
Gempylus serpens, 177
gentilis, *Hypsoblennius*, 327
geographica, *Graptomys*, 57
Gerres mexicanus, 101
getulus californiae, *Lampropeltis*, 237
getulus getulus, *Lampropeltis*, 49
getulus holbrooki, *Lampropeltis*, 237
gibbosus, *Lepomis*, 143
Gila ditaeia, 219
Ginglymostoma cirratum, 64-66
Girardinus microdactylus, 204-207
gladius, *Xiphias*, 177
glauca, *Prionace*, 173
glesne, *Regalecus*, 176
glutinosus, *Plethodon*, 34-35, 37-40, 58, 294-297
glutinosus glutinosus, *Plethodon*, 57
Glyptocephalus zachirus, 112-119
Gobiesox, 101, 215-217
 eugrammus, 216
 marijanae, 215-217
 papillifer papillifer, 217
 pinniger, 216
 schultzi, 216, 217
goldami, *Batrachoides*, 101
Gonichthys barnesi, 175
gorbuscha, *Oncorhynchus*, 145
gracilior, *Gambusia*, 204, 209
gracile, *Ambystoma*, 44-46
gracilis, *Hybopsis*, 253
gracilis, *Macrorhamphosus*, 178
gracilis, *Paludicola*, 86
gracilis, *Physalaemus*, 84-86, 88-89
gracilis, *Tomeurus*, 204-205, 209
grandis, *Fundulus*, 1
grandis, *Tillandsia*, 307
Graptomys geographica, 57
gratiosa, *Hyla*, 55, 303
griseus, *Hexanchus*, 173
griseus, *Varanus*, 153
groenlandicus, *Himantolophus*, 179
grunniens, *Aplodinotus*, 181-185
gryllus, *Acris*, 55, 303
Guaiacum coultteri, 99
guatemalensis, *Plectorhyla*, 303
guatemalensis, *Rhamdia*, 107
gula, *Eucinostomus*, 70
guntheri, *Xiphophorus*, *helleri*, 204, 205, 207
guttata, *Elaphe*, 151, 239
guttata guttata, *Elaphe*, 49, 239
gyrinus, *Noturus*, 141
Gymnodactylus
 kotschy, 153
 scaber, 153
Gymnuri altavela, 137, 138, 139
 micrura, 137, 138, 139
Hadropterus scierus, 1-8, 69
Haldea striatula, 49
hammondi multiplicata, *Spea*, 91
harengus, *Clupea*, 125, 128
hasselquisti hasselquisti, *Ptyodactylus*, 153
heidi, *Uraspis*, 353
heilprini, *Hyla*, 303
helenae, *Phyllomedusa*, 303
helleri guntheri, *Xiphophorus*, 204, 205, 207
helleri helleri, *Xiphophorus*, 204, 207
Heloderma, 241
 horridum, 240
Hemidactylus turcicus, 153
Hemilepidotus hemilepidotus, 145
Hemipimelodus, 103
henseli, *Paludicola*, 87
henseli, *Physalaemus*, 87, 89
Heptanchias perlo, 172
Heteranthera, 218
heteroclitus, *Fundulus*, 139-141, 142
heterodon, *Notropis*, 253
Heterodon
 platyrhinos, 31
 platyrhinos platyrhinos, 58
heterolepis, *Scombrolabrax*, 210-215
Hexanchus griseus, 173
hians hians, *Ablenece*, 172
Himantolophus groenlandicus, 179
hippos, *Caranx*, 176
hippurus, *Coryphaena*, 177
hirudo, *Ammocoetes*, 337
hirudo, *Ichthyomyzon*, 337
holacanthus, *Diodon*, 178
holboelli, *Ceratias*, 179
holbrooki, *Lampropeltis getulus*, 237
holbrooki, *Scaphiopus*, 91
Holbrookia texana, 297-299
Holothuria atra, 255
homei, *Carapus*, 255
Homesthes, 323-327
 brevipinnis, 331
 caulopus, 327
horridum, *Heloderma*, 240
horridus horridus, *Crotalus*, 366-367
hosi, *Pedostibes*, 226
howelli, *Gambusia*, 204, 209
hudsonius, *Notropis*, 142
hurteri, *Scaphiopus*, 91
hyacinthinus, *Sceloporus undulatus*, 58
Hybognathus nuchalis, 141
Hybopsis gracilis, 253
Hydropis, 53
Hydrocotyle, 218
Hyla, 301-304
 andersoni, 303

arbore
 arbore
 aurea,
 avivoc
 baudin
 bistine
 brome
 brunni
 cinere
 crepita
 crucif
 crucif
 domin
 elaeoc
 ewing
 eximia
 faber,
 femor
 gabbi
 gratio
 heilpr
 lichen
 loqua
 maria
 mioty
 misera
 morau
 ocular
 parda
 phaeo
 phleb
 pseud
 pulch
 punct
 raddia
 ranice
 regilla
 rubra
 septe
 squire
 sumic
 urano
 vasta
 versic
 wellm
 weyer
 wilson
 Hylella,
 Hypero
 Hypom
 Hypopr
 hypselo
 Hytsob
 brevi
 gentil
 striat
 hystrix,

- arborea*, 303
arborea savignyi, 153
aurea, 303
avivoca, 55
baudini, 300, 304
bistincta, 303
bromeliacia, 303
brunnea, 303
cinerea, 55, 303
crepitans, 303
crucifer, 58–59, 303
crucifer crucifer, 57
dominicensis, 303
elaeochroa, 303
ewingi, 303
eximia, 303
faber, 61–63, 364–366
femoralis, 55–56, 303
gabbi, 302–303
gratiosa, 55, 303
heilprini, 303
lichenata, 303
loquax, 303
marianae, 303
miotympanum, 303
misera, 303
moraviensis, 303
ocularis, 303
pardalis, 364–366
phaeota, 302–303
phlebodes, 303
pseudopuma, 303
pulchrilineata, 303
punctata, 303
raddiana, 303
raniceps, 303
regilla, 303
rubra, 303
septentrionalis, 303
squirella, 55, 303
sumichrasti, 304
uranochroa, 303
vasta, 303
versicolor, 48, 47–49, 55–56, 69, 303
wellmanorum, 302–303
weyerae, 303
wilsoniana, 303
Hylella, 300
Hyperopisus bebe, 131
Hypomus artedi, 131
Hypoprion signatus, 68
hypselerus, *Velifer*, 246, 144
Hytoblennius, 323, 327
 brevipinnis, 331
 gentilis, 327
 striatus, 331
hystrix, *Diodon*, 178
Ichthyomyzon, 337–345
 argenteus, 337
 bdellium, 338–344
 castaneus, 337–345
 concolor, 337–338
 hirudo, 337
 unicuspis, 339–342
Ictalurus, 110, 315
 catus, 142
 melas, 142, 219
 meridianolis, 110
 natalis, 141
 nebulosus, 72, 142
 punctatus, 142
Ictiobus, 338
Idiacanthus fasciola, 174
Ilsha, 125
 indica, 125–130
inconstans, *Eucalia*, 142
infans, *Poeciliopsis*, 204
infernalis, *Cnemidophorus deppei*, 100
insculpta, *Clemmys*, 155
insignis, *Catostomus*, 219
insignis, *Noturus*, 9–16
intermedius, *Palaemonetes*, 318
Ioa, 191
Ipnois murrayi, 172
ischyrus, *Lepiopotomus*, 253
Isesthes, 331–332
 brevipinnis, 331
Isistius brasiliensis, 173, 245
isolepis, *Sternotremia*, 253
Istiophorus albicans, 150
Isurus oxyrinchus, 243
izabalensis, *Potamarius*, 104, 107, 108, 109
Japalura, 221
 flaviceps, 221
 nigrilabris, 223
 nigrilabris, *Otocryptis*, 224
 polygonata, 221
 robinsoni, 225
 splendida, 221
 variegata, 221
 yunnanensis, 221
Jaquinia pungens, 100
jejuna, *Episema*, 253
jejunus, *Notropis blennioides*, 253
johnsoni, *Melanocetus*, 179
jordani, *Caulophyrne*, 179
jordani, *Plethodon*, 26–29
jordani clemsonae, *Plethodon*, 26, 27, 29
jordani melaventris, *Plethodon*, 26–29
jordani metcalfei, *Plethodon*, 35, 37–40, 294, 296–297
jordani rabunensis, *Plethodon*, 28–29
jordani shermani, *Plethodon*, 26
jurullensis, *Bursera*, 99

lynxe, *Eumeces*, 284–286
lynxe belli, *Eumeces*, 284–286
lynxe durangoensis, *Eumeces*, 284

Mabuya

aurata aurata, 154
aurata septemtaeniata, 154
macrocheilus, *Catostomus*, 120–121, 125
macrochira, *Lepomis cyanellus*, 253
macrochirus, *Lepomis*, 143, 220
macrochirus purpureus, *Lepomis*, 220
macroductylus, *Ambystoma*, 44–46
macrolepidota, *Anchovia*, 252
macrolepidotus, *Neoscopelus*, 174
Macrorhamphosus gracilis, 178
Macrorhamphosus scolopax, 178
macrorhynchus, *Leptotyphlops*, 154
macrurus, *Sternopygus*, 131
maculatus, *Canthidermis*, 172
maculatus, *Xiphophorus*, 73, 204, 207
magistralis, *Epinnula*, 211
magna, *Daphnia*, 69
Makaira albida, 150
Makaira nigricans, 177
Malacosteus, 262
niger, 261, 262
Malapterurus, 131, 133
electricus, 131, 132
malma, *Salmo*, 249
Manta birostris, 174
margarita, *Photoneustes*, 136
marginata, *Chrysemys picta*, 57
marjaneae, *Gobiesox*, 215–217
marina, *Strongylura*, 73
marianae, *Hyla*, 303
marinus, *Bagre*, 107, 109
marinus, *Bufo*, 233–236
marinus, *Petromyzon*, 142, 337
marleyi, *Thyrsoideus*, 213
marmoratus, *Paraclinus*, 75
marmoreus, *Bufo*, 233–236
marcupiatum, *Gastrotheca*, 304
mauretanicus, *Cardiocoondyla*, *Nuda*, 154
mauritanicus, *Bufo*, 230
mauritiana, *Actinopyga*, 255
Maurollicus muelleri, 174
maxilligua, *Exoglossum*, 142
maximus, *Cetorhinus*, 244
maximus, *Cetorhinus*, 173
mazatlanensis, *Bufo*, 233–236
mebachi, *Thunnus*, 177
mediocris, *Alosa*, 142
Megalops atlantica, 146
Megalops atlanticus, 311–319
megarhinus, *Chiropterostron*, 304–310
Megophrys, 92
Melamphaes, 136

mizolepis, 176
nigrescens, 176
melanocaulus, *Melanostomias*, 203
Melanocetus johnsoni, 179
melanoleucus sayi, *Pituophis*, 237, 368
melanonotata, *Limia*, 204
melanopleura, *Bufo*, 226, 228
melanopterus, *Carcharhinus*, 257
melanopus aguadulce, *Arius*, 101
melanopus, *Arius*, 101, 107, 110
melanopus melanopus, *Arius*, 101
melanostictum, *Ambystoma tigrinum*, 372
Melanostomias, 200–203
biseriatus, 203, 136
melanocaulus, 203
pauciradius, 200
veldiviae, 203
melanurus, *Drynarchon corais*, 367–368
melas, *Ictalurus*, 142, 219
melaventris, *Plethodon jordani*, 26–29
Melichthys radula, 172
Menidia, 139–141
menidia, 139–141, 143
beryllina, 143
menisorrah, *Carcharhinus*, 257
meridianolis, *Ictalurus*, 110
Mertensophryne, 226, 227–233
mertensophryne rondoensis, 226
ushoranus, 228
bessor barbarus, 154
Messor barbarus semirufa, 154
Metavelifer, 246
multiradiatus, 247
metcalfi, *Plethodon jordani*, 35, 37–40
mexicanus, *Gerres*, 101
mexicanus, *Paraclinus*, 217
mexicanus, *Spilotes pullatus*, 368
(micranotis) rondoensis, *Bufo*, 226
microdactylus, *Girardinus*, 204, 207
microdon, *Cyclothone*, 174
Microgadus proximus, 145
Microgadus tomcod, 347–348
Microlophichthys microlophus, 179
microlophus, *Microlophichthys*, 179
Micropoecilia, 205
parae, 207, 204
Micropogon
altipinnis, 262
ecten, 262
Micropterus
dolomieu, 143
salmoides, 72–74, 143, 147, 220
Microstomus pacificus, 112–119
micrura, *Gymnura*, 137, 138, 139
Mimosa distachya, 99
miniatus, *Lepomis punctatus*, 254
miotympanum, *Hyla*, 303

- misera*, *Hyla*, 303
mitschilli, *Anchoa*, 142
mizolepis, *Melamphaes*, 176
mokarran, *Sphyrna*, 173
mokeson, *Ancistrodon contortrix*, 58
Mola mola, 178
Mollienesis, 205
 formosa, 204
 latipinna, 204, 207, 315
 latipunctata, 204, 207
 petenensis, 204
 sphenops, 204, 205, 207
 velifera, 204, 207
monoceros, *Alutera*, 179
Monomorium, 154
montezumae cortezi, *Xiphophorus*, 204
montezumae montezumae, *Xiphophorus*, 204, 207
Moragacinella, 255
Moralesia, 255
Moralesicus, 255
moraviensis, *Hyla*, 303
mordax, *Osmerus*, 142
moreleti, *Phyllomedusa*, 303
Mormyrus caballus, 131
Mormyrus kannume, 131, 132
mucosus, *Ptyas*, 368
muelleri, *Ansonia*, 226
muelleri, *Mauroliscus*, 174
Mugil
 cephalus, 73, 178
 curema, 220
 xinguensis, 67
multidentatus, *Chiropterotreron*, 308
multiplicata, *Spea hammondi*, 91
multiradiatus, *Metavelifer*, 247
multiradiatus, *Velifer*, 246, 247
mondeoloides, *Anchoa*, 252
murrayi, *Ipnops*, 172
myersi, *Tomicodon*, 217
Mylocheilus caurinum, 72
myops, *Trachinocephalus*, 172

nairobiensis, *Bufo lonnbergi*, 226
namaycush, *Salvelinus*, 16-19, 142
nannomyzon, *Catostomus catostomus*, 141
narinari, *Aetobatus*, 174
nasalis, *Chiropterotreron*, 308
naso, *Anchoa*, 252
Nasturtium, 218
Nasturtium officinale, 137
nasus, *Lamna*, 145, 243
natalis, *Ictalurus*, 141
Natrix, 53-55
 cyclopion, 53-54
 kirtlandi, 58
 sipidon, 53-54, 58
 sipidon confluens, 33
 sipidon pleuralis, 58
 sipidon sipidon, 58
nasutus, *Nesiarchus*, 212
Naucrates ductor, 176
nebulosus, *Ictalurus*, 72
Nectophryne, 226-233
Nectophryne afra, 226
Nectophrynoides, 226-233
 vivipara, 226
Nedystoma, 103
nelsoni, *Conorhynchus*, 101, 108, 111
nelsoni, *Potamarius*, 104, 107-110
Nematonurus armatus, 172
Nemichthys scolopaceus, 175
Neopinnula, 213, 214
 orientalis, 213-214
 orientalis americana, 213
Neomenis novemfasciatus, 220
Neomeris, 331
Neoscaphiopus, 89-90, 92-93
 alexanderi, 90
 alexanderi, *Scaphiopus*, 90
 noblei, 89-90, 92
Neoscopelus macrolepidotus, 174
Nereis virens, 347
nerka, *Oncorhynchus*, 142, 145
Nesiarchus, 213
 nasutus, 212
nibrilabris, *Otocryptis (Japalura)*, 224
nicaraguensis, *Gambusia*, 204, 209
niger, *Astronesthes*, 134, 135, 136
niger, *Chiasmodon*, 178
niger, *Esox*, 142
niger, *Lampanyctus*, 175
niger, *Malacosteus*, 261, 262
nigrescens, *Melamphaes*, 176
nigrescens, *Triphoturus*, 175
nigrens, *Xiphophorus pygmaeus*, 204
nigricans, *Makaira*, 177
nigrilabris, *Japalura*, 223
nigrilabris, *Phoxophrys*, 223-224
nigrita, *Pseudacris*, 48, 57, 303, 370-371
nigroides, *Astronesthes*, 134-136
nigroocellatus, *Centrobranchus*, 175
nigromaculatus, *Pomoxis*, 143
nigrum, *Etheostoma*, 143, 191
nigrum nigrum, *Etheostoma*, 241-243
nimbria, *Vinciguerra*, 174
nobilis, *Gambusia*, 204, 209
nobilis, *Lampanyctus*, 175
Nominostomias, 201
notatus, *Pimephales*, 141
Notemigonus crysoleucas, 73, 74, 142
Notolychnus valdiviae, 175
Notophthalmus viridescens, 74, 75
Notoscopelus resplendens, 174
Nototheca pygmaea, 304

Notropis
anog
bifren
blenn
corri
heter
hudso
Kana
rubel
rubel
scabr
voluc
voluc
Noturu
insig
novemf
nubila
nubilus
nuchal
nuda m
nyikae,

obesus,
obesus,
oblong
obsole
obsole
obsole
obtus
ocellat
occiden
occiden
occiden
oculata
ocular
odorat
odorat
officin
Oligoc
 rubel
 snyd
oligost
olmste
olomir
omisco
Oncor
 gorb
 keta
 nerk
opercu
Opheo
 aest
 vern
 vern
 vern
Ophio

- Notropis*, 242
anogenus, 253
bifrenatus, 142
blennius jejunos, 253
cornutus, 1, 142, 189
heterodon, 253
hudsonius, 142
Kanawha, 354–356
rubellus, 1, 354–356
rubellus × *Notropis volucellus*, 355
scabriceps, 354
volucellus, 354–356
volucellus × *Notropis rubellus*, 355
Noturus gyrinus, 141
insignis, 9–16
novemfasciatus, *Neomensis*, 220
nubila, *Dionda*, 253
nubilis, *Alburnops*, 253
nuchalis, *Hybognathus*, 141
nuda mauretanica, *Cardiocoondyla*, 154
nyikae, *Bufo taitanus*, 226
obesus, *Enneacanthus*, 143
obesus, *Thunnus*, 177
oblongus, *Erimyzon*, 142
obsoleta, *Elaphe*, 58–59
obsoleta obsoleta, *Elaphe*, 58, 237
obsoleta rossalleni, *Elaphe*, 151
obtusum, *Bufo fenouelhetti*, 226
ocellato, *Starksia*, 75
occidentalis, *Bufo*, 233–236
occidentalis, *Poeciliopsis*, 220
occidentalis, *Sceloporus*, 276, 278, 280–282
oculatus, *Etelis*, 172
ocularis, *Hyla*, 303
odoratus, *Sternotherus*, 53, 60–61, 156
odoratus, *Sternotherus*, 57
officinale, *Nasturtium*, 137
Oligocottus, 319
rubellio, 319–321
snyderi, 319–321
oligosticta, *Gambusia*, 204, 209
olmstedii, *Etheostoma*, 241
olomina, *Brachyrhaphis*, 204, 209
omismocaycus, *Percopsis*, 141
Oncorhynchus
gorbuscha, 145
keta, 145
nerka, 142, 145
opercularis, *Letharchus*, 352
Opheodrys
aestivus, 29–32
vernalis, 29–31
vernalis blanchardi, 30
vernalis vernalis, 30
Ophiops elegans elegans, 154
Ophisaurus, 46
attenuatus, 46–47
compressus, 46–47
ventralis, 46–47
oregonense, *Ptychocheilus*, 71–73
oregonium, *Prosopium*, 192, 198, 200
Oreophrynella, 227
orientalis americana, *Neopinnula*, 21
orientalis, *Cataglyphis bicolor*, 153
orientalis, *Neopinnula*, 213, 214
ornata, *Limia*, 204, 207
ornatum, *Compostoma*, 220
Orthonopias triacis, 321
osburni, *Etheostoma*, 354
osculus, *Rhinichthys*, 72
Osmerus mordax, 142
osteochir, *Rhombochirus*, 178
Otocryptis (Japalura) nigrilabris, 224
Oxygenum pulverulentum, 253
oxyrhynchus, *Acipenser*, 142
oxyrinchus, *Isurus*, 243
Pacifastacus klamathensis, 72
pacificus, *Letharchus*, 351, 353
pacificus, *Microstomus*, 112–119
Palaemon pandaliformis, 107
Palaemonetes, 313, 317–318
intermedius, 318
pallida, *Agama*, 153
pallida, *Cyclothone*, 174
pallidus, *Platygobio*, 253
palmarum, *Kinosternon bauri*, 53
Palometa similima, 146
Paludicola, 84
biligonigerus, 84
bischoffi, 86
fuscomaculatus, 85
gracilis, 86
henseli, 87
panamensis, *Anchoa*, 252
pandaliformis, *Palaemon*, 107
paniculata, *Apoplania*, 99
panuco, *Gambusia*, 204, 209
papilliferus, *Chologaster*, 253
papillifer papillifer, *Gobiesox*, 217
Paraclinus
marmoratus, 75
mexicanus, 217
parae, *Micropoecilia*, 204, 207
Paralichthys
albigutta, 254
dentatus, 254
lethostigma, 254, 346–347
squamilentus, 254
Parascaphirhynchus albus, 253
pardalis, *Hyla*, 364–366
Pareques, 67
parkeri, *Bufo*, 226

- parkeri*, *Laurentophryne*, 226
parva, *Lucania*, 142
parviconus, *Chaenophryne*, 179
Parvimolge
 richardi, 310
 townsendi, 310
parvipalmata, *Wolterstorffina*, 226
parvisocius, *Cnemidophorus*, 98
pauciradius, *Melanostomias*, 200
Pedostibes, 227-233
 hosi, 226
 rugosus, 226
pelagicus, *Amphioxides*, 171
pelamis, *Katsuwonus*, 177
pelata, *Percina*, 189
pelecanoides, *Eupharynx*, 175
Pellona, 128, 125
 elongata, 26
Pelobates, 92
 fuscus, 275
Pelophryne, 227
 albotaeniata, 226
Pelturagonia cephalum, 223
Pentherichthys atratus, 179
Peprilus simillimus, 146
Perca flavescens, 120, 143
Percina
 caprodes, 186, 1-8, 69
 pelata, 189
Percopsis omiscomaycus, 141
perlo, *Heptanchias*, 172
persica, *Agama*, 153
petasatus, *Triprion*, 303
petenensis, *Mollienesisia*, 204
petersi, *Tomicodon*, 217
Petromyzon
 castaneus, 337
 marinus, 142, 337
 unicuspis, 337
phaeota, *Hyla*, 302-303
phaeota, *Smilisca*, 304
Phallichthys, 107, 205
Phalloceros, 205
 caudimaculatus, 204
Pheidole, 153
Phenacobius teretulus, 354
phlebodes, *Hyla*, 303
Photonectes margarita, 136
Phoxophrys, 221
 borneensis, 222-223
 cephalum, 222-225
 nigrilabris, 223, 224
 spiniceps, 221, 224
 tuberculata, 221, 223, 225
Phrynohyas, 300, 303
 spilomma, 304
Phtheichthys lineatus, 178
Phyllodactylus elisae, 153
Phyllomedusa, 300
 boliviana, 304
 callidryas, 303
 dacnicolor, 303
 helenae, 303
 moreleti, 303
Physalaemus, 83-85, 89
 barbouri, 87, 89
 biligonigerus, 84-86, 89
 bischoffi, 86
 cuvieri, 84-86
 fernandezae, 86, 89
 fuscumaculatus, 84-86, 88-89
 gracilis, 84-86, 88-89
 henseli, 87, 89
 riograndensis, 87, 89
Picadoti, *Chiropterotriton*, 308
picta marginata, *Chrysomys*, 57
Pikea sericea, 146, 147
pilchardus, *Sardina*, 125
Pimelodus conirostris, 110
Pimephales notatus, 141
Pimephales promelas, 141
pineus, *Eumeces*, *dicei*, 19-26
pinniger, *Gobiesox*, 216
Pipa, 42-43, 369
 carvalhoi, 41
 pipa, 40-41, 43, 271-273, 275-276, 368-369
pipiens, *Rana*, 43, 59, 275
pipiens sphenocephala, *Rana*, 57
Pituophis melanoleucus sayi, 237, 368
Plagioscion, 67
planicola, *Spaenohyla*, 303
Platichthys
 flesus, 112
 stellatus, 112
 stellatus rugosus, 114
Platygobio pallidus, 253
platyloba, *Caesalpina*, 100
platyrhinos, *Heterodon*, 31
platyrhinos platyrhinos, *Heterodon*, 58
Platichthys stellatus rugosus, 118
Plectrohyla, 300
 guatemalensis
 sagorum, 303
Pleobates fuscus, 275
Plethodon, 57, 34, 287, 296, 310
 cinereus, 58, 288, 294-295, 363
 cinereus cinereus, 57
 dorsalis, 57
 glutinosus, 28, 34-35, 37-40, 58, 294-297
 glutinosus glutinosus, 57
 jordani, 26-29
 jordani clemsonae, 26, 27, 29
 jordani melaventris, 26-29
 jordani metcalfi, 35, 37-40, 294, 296-297
 jordani rabunensis, 28-29
 jordani shermani, 26

- welleri*, 287, 289–290
welleri ventromaculatus, 292
yonahlossee, 292
pleuralis, *Natrix sipedon*, 58
pliobatrachus, *Spea*, 93
plumbeus, *Couesius*, 141
plumieri, *Sicydium*, 146
plurifoliolatum, *Cercidium*, 99
Poecilia, 205
vivipara, 204, 207
Poeciliopsis, 219, 205
infants, 204
occidentalis, 220
Polistes rubiginosus, 60
Pollachias virens, 70
polygonata, *Japalura*, 221
Polygonum, 218
Polyodon spathula, 338
polystictus, *Trachipterus*, 176
Pomatomus saltatrix, 178
Pomoxis, 220
annularis, 143
nigromaculatus, 143
Potamarius, 101, 102
izabalensis, 104, 107, 108, 109
nelsoni, 104, 107, 108, 109, 110
Potamogeton, 218
Potamophis (= *Haldea*), *Storeria*, 53
pretiosus, *Ruvettus*, 177
Priacanthus cruentatus, 176
Priapichthys, 205
annectens, 204, 209
priapus, *Coluber constrictor*, 58
Prionace glauca, 173
principes, *Taractes*, 177
procera, *Venefica*, 172
promelas, *Pimephales*, 141
Promethichthys prometheus, 213, 214, 357–358
prometheus, *Promethichthys*, 213, 214, 357–358
Prosopium
coulteri, 192, 198, 200
cylindraceum, 200
oregonium, 192, 198, 200
spilonotus, 198, 200
williamsoni, 192–200
Prosopus juliflora, 99
proteus, *Blenniulus*, 324, 326–334
proximus, *Microgadus*, 145
proximus, *Thamnophis sauritus*, 33
Pseudacris, 300
clarki, 48
nigrita, 48, 303, 370–371
nigrita triseriata, 57
streckeri, 303
triseriata, 59
triseriata feriarum, 370–371
triseriata triseriata, 370–371
Pseudaspis cana, 155
Pseudemys scripta elegans, 360–361
Pseudobufo, 227–233
subasper, 226
pseudoharengus, *Alosa*, 142
pseudopuma, *Hyla*, 303
Pseudoxiphophous, 205
bimaculatus, 204, 209
Pternohyla, 300, 303–304
jodiens, 303
Ptyas mucosus, 368
Ptychocheilus oregonense, 71–73
Ptychohyla, 300
spinipollex, 303
Ptyodactylus hasselquisti hasselquisti, 153
pungens, *Jaquinia*, 100
Pungitius pungitius, 143
pulchilineata, *Hyla*, 303
pullatus mexicanus, *Spilotes*, 368
pullum, *Campostoma anomalum*, 253
pulverulentum, *Oxygenum*, 253
punctatus, *Bufo*, 233–236
punctatus, *Diadophis*, 58
punctata, *Gambusia*, 204, 209
punctata, *Hyla*, 303
punctatus edwardsi, *Diadophis*, 58
punctatus Ictalurus, 142
punctatus miniatus, *Lepomis*, 254
punctatus punctatus, *Diadophis*, 49
purpurea, *Gila*, 219
purpurescens, *Lepomis macrochirus*, 220
pygmaea, *Nototheca*, 304
pygmaea, *Umbra*, 141
pygmaeus nigrensis, *Xiphophorus*, 204
pygmaeus pygmaeus, *Xiphophorus*, 204, 207
pyrsobolus, *Lepidophanes*, 175
quadracus, *Apeltes*, 143
quercicus, *Bufo*, 55
rabunensis, *Plethodon jordani*, 28–29
Rachycentron canadus, 178
raddei, *Bufo*, 230
raddiana, *Hyla*, 303
radiosum, *Etheostoma*, 69
radix, *Thamnophis*, 31
radula, *Melichthys*, 172
Raja
eglanteria, 258
erinacea, 258
fusca, 258
raii, *Brama*, 177
Ralfsia, 331
Rana, 41, 43, 50
aurora, 50
catesbeiana, 50–51, 55, 155

- clamitans*, 57-58
pipiens, 43, 59, 375
pipiens sphenoccephala, 57
temporaria, 275
regilla, *Hyla*, 303
Ranzania laevis, 178
rara, *Loweina*, 175
Regalecus glesne, 176
regilla, *Hyla*, 303
regius, *Lampris*, 176
regularis, *Bufo*, 230
Remilegia australis, 178
Remora remora, 178
Remorina albescens, 178
Remoropsis brachyptera, 178
resplendens, *Notoscopelus*, 174
reticulatus, *Lebistes*, 43
Rexea solandri, 212
Rhambia guatemalensis, 107
Rhadinaea flavilata, 49
Rhctogramma sherbourni, 136
Rhineodon typhus, 173
Rhinichthys, 242
 atratus, 142
 catractae, 72, 142
 falcatus, 72
 osculus, 72
Rhinomugil corsula, 67
Rhombochirus osteochir, 178
Rhombosolea, 112
 richardi, *Parvimolge*, 310
 richardsoni, *Astronesthes*, 134-135
Richardsonius balteatus, 72
Rimicola sila, 216
 ringens, *Xanthichthys*, 179
 riograndensis, *Physalaemus*, 87, 89
 rivicola, *Eurycea bislineata*, 57
 robinsoni, *Japalura*, 225
 Roccus americanus, 143
 saxatilis, 143, 247
rondoensis, *Mertensophryne mertensophryne*, 226
rossalleni, *Elaphe obsoleta*, 151
rostrata, *Anguilla*, 142
rostrata, *Antimora*, 176
rubellio, *Oligocottus*, 319-321
rubellus, *Notropis*, 1, 354-356
ruber, *Crotalus*, 238
ruber ruber, *Crotalus*, 238
rubra, *Hyla*, 303
rubiginosus, *Polistes*, 60
ruderata, *Agama*, 153
rugosus, *Pedostibes*, 226
rugosus, *Platichthys stellatus*, 118
rupestris, *Ambloplites*, 143
Ruvettus pretiosus, 177
sacki australis, *Cnemidophorus*, 100
sacki, *Cnemidophorus*, 97, 100
sadina, *Etrumeus*, 70
sagorum, *Plectorhyla*, 303
salar, *Salmo*, 17, 142, 249
Salicornia, 139
Salix, 218
Salmo
 gairdneri, 17, 142, 247-248, 260
 salar, 17, 142, 249
 trutta, 17, 74, 142
salmoides, *Micropterus*, 72, 74, 143, 147, 220
saltatrix, *Pomatomus*, 178
Salvelinus
 alpinus, 16-19, 249
 aureolus, 249
 frontinalis, 16-19, 74, 137, 142
 malma, 249
 namaycush, 16-19, 142
santae-annae, *Gasterosteus*, 349
sapidissima, *Alosa*, 142
Sardina pilchardus, 125
Sardinella, 125, 128
Sardinops caerulea, 126, 128
sauritus proximus, *Thamnophis*, 33
saurus, *Elops*, 146, 311, 317
savignyi, *Hyla arborea*, 153
saxatilis, *Roccus*, 143, 247
sayanus, *Aphredoderus*, 141
sayanus, *Aphredoderus*, 253
sayi, *Pituophis melanoleucus*, 368
scaber, *Gymnodactylus*, 153
scabra, *Dasyptelis*, 155
scabriceps, *Notropis*, 354
Scaphiopus, 91-92
 (*Neoscaphiopus?*) *alexanderi*, 90
 bombifrons, 363
 diversus, 89, 92-93
 holbrookii, 91
 hurteri, 91
 -Spea, 92
Scaphirhynchus album, 253
Scartella
 atrimana, 326, 332, 334
 brevipinnis, 331
Sceloporus, 278, 299
 occidentalis, 276, 278, 280-282
 undulatus, 58
 undulatus hyacinthinus, 58
 undulatus virgatus, 276
schmidtii, *Edriolychnus*, 179
schultzi, *Anchoa*, 252
schultzi, *Gobiesox*, 216, 217
scierus, *Hadropterus*, 1-8, 69
scimitra, *Buenoa*, 315
scolopaceus, *Neumichthys*, 175
scolopax, *Macrorhamphosus*, 178

- Scomberomorus cavalla*, 70
Scombolabrax heterolepis, 210–215
Scopelarchus analis, 175
scripta, *Alutera*, 179
scripta elegans, *Pseudemys*, 360–361
Selar crumenophthalmus, 176
semirufa, *Messor barbarus*, 154
Semotilus, 242
 atromaculatus, 142
 corporalis, 142
senilis, *Gambusia*, 209
septemtaeniata, *Mabuya aurata*, 154
septentrionalis, *Hyla*, 303
sericea, 147
sericea, *Pikea*, 147
serpens, *Gemplyus*, 177
serpentina, *serpentina*, *Chelydra*, 57
setifer, *Stephanolepis*, 172
sherbourni, *Rhctogramma*, 136
shermani, *Plethodon jordani*, 26
Sicycium plumieri, 146
signata, *Cyclothone*, 174
signatus, *Hypoprion*, 68
sila, *Rimicola*, 216
similis, *Fundulus*, 1
simillima, *Palometa*, 146
simillimus, *Peprilus*, 146
sipedon confluens, *Natrix*, 33
sipedon, *Natrix*, 53–54, 58
sipedon pleuralis, *Natrix*, 58
sipedon sipedon, *Natrix*, 58
sirtalis sirtalis, *Thamnophis*, 58
sladeni, *Argyropelecus*, 174
Smilisca, 300–304
 baudini, 302–303
 gabbi, 304
 phaeota, 304
 wellmanorum, 304
smithi, *Dorosoma*, 218
snyderi, *Oligocottus*, 319–321
solanderi, *Acanthocybium*, 177
solandri, *Rexea*, 212
sollicitans, *Aedes*, 313, 318
sonorensis, *Zizyphus*, 99
spathula, *Polyodon*, 338
spatulata, *Diaglena*, 304
Spea, 90–92
 alexanderi, 93
 bombifrons, 91–93
 diversus, 93
 hammondi multiplicata, 91
 pliobatrachus, 93
 Scaphiopus, 92
 studer, 92–93
spectabile, *Etheostoma*, 1–8, 69
Sphaenohyla, 300
 planicola, 303
sphenocephala, *Rana pipiens*, 57
sphenops, *Mollinnesia*, 204, 205, 207
Sphingonotus, 154
Sphyrna barracuda, 172
Sphyrna
 lewini, 244
 mokarran, 173
 tiburo, 173
 zygaena, 173, 244
spilomma, *Phrynohyas*, 304
spilonotus, *Prosopium*, 198, 200
Spilotes pullatus mexicanus, 368
spiniceps, *Phoxophrys*, 221, 224
spinifera, *Trionys ferox*, 58
spiniger, *Spinoblennius*, 332–334
spinipollex, *Ptychohyla*, 303
Spinoblennius
 actesoma, 332
 spiniger, 332–334
splendida, *Japalura*, 221
splendidus, *Astronesthes*, 134, 135
sprattus, *Clupea*, 126
Squalus fernandinus, 173
squamilentus, *Paralichthys*, 254
Squatina dumerili, 245
squirella, *Hyla*, 55, 303
Starksia cremnobates, 75
Starksia ocellato, 75
stellatus, *Platichthys*, 112
stellatus rugosus, *Platichthys* 114, 118
Stephanolepis setifer, 172
Sternoptyx diaphana, 174
Sternopygus macrurus, 131
Sternotherus odoratus, 53, 57, 60–61, 156
Sternotremia isolepis, 253
Stichopus
 chloronotus, 255
 variegatus, 255
Stizostedion vitreum, 143
Stolephorus compressus, 252
Stomias, 174
 affinis, 174
Storeria, *Potamophis* (= *Haldea*), 53
streckeri, *Pseudacris*, 303
striatula, *Haldea*, 49
striatus, *Hypoblennius*, 331
Strongylura marina, 73
studer, *Spea*, 92–93
subasper, *Pseudobufo*, 226
suborbitale, *Benthosema*, 175
sumichrasti, *Eumeces*, 284–286
sumichrasti, *Hylella*, 304
symmetricus, *Lepomis*, 254
Synaphobranchus kaupii, 172

- Taaningichthys bathyphilus*, 175
Tachysurus, 110
taeniorhynchus, *Aedes*, 313, 318
taitanus, *Bufo*, 230
taitanus nyikae, *Bufo*, 226
Tanakius kitaharae, 117, 118
Tapinoma, 153
Taractes longipinnis, 177
Taractes princeps, 177
taurus, *Carcharias*, 351
tectifer, *Anacyrtus*, 255
temporaria, *Rana*, 275
tenisoni, *Eustomias*, 202
tenuiformis, *Lampanyctus*, 175
teretulus, *Phenacobius*, 354
Terrapene carolina carolina, 58
terrestris, *americanus*, *Bufo*, 57
Tetragonurus atlanticus, 177
Tetranesodon, 103
texana, *Holbrookia*, 297-299
Thamnophis, 53
 radix, 31
 sauritus proximus, 33
 sirtalis sirtalis, 58
thazard, *Auxis*, 177
Thorius, 310
Thrissocles, 125, 128
Thunnus
 alalunga, 177
 mabachi, 177
 obesus, 177
 thynnus, 150
thynnus, *Thynnus*, 150
Thyrsitoides marleyi, 213
tiburo, *Sphyrna*, 173
tigrina, *Dugesia*, 69
tigrinum, *Ambystoma*, 363
tigrinum diaboli, *Ambystoma*, 364
tigrinum melanostictum, *Ambystoma*, 372
Tillandsia grandis, 307
Tinca tinca, 142
tomcod, *Microgadus*, 347-348
Tomeurus, 205
 gracilis, 204, 205, 209
Tomicodon, 217
 absis, 216
 boehlkei, 216
 myersi, 217
 petersi, 217
 vermiculatus, 216-217
townsendi, *Ceratospelus*, 174
townsendi, *Parvimolge*, 310
Trachinocephalus myops, 172
Trachipterus cristatus, 176
 polystictus, 176
Trachurops lathamii, 70
triacis, *Orthonopias*, 321
Trinectes maculatus, 73
Trionyx ferox spinifera, 58
Triphoturus nigrescens, 175
Triprion, 300
 petasatus, 303
triseriata feriarum, *Pseudacris*, 370-371
triseriata, *Pseudacris*, 59
triseriata, *Pseudacris nigrita*, 57
triseriata triseriata, *Pseudacris*, 370-371
truei, *Ascaphus*, 240
trutta, *Salmo*, 17, 74, 142
tuberculata, *Phoxophrys*, 221, 223, 225
Tubifex, 43
turcicus, *Hemidactylus*, 153
typhus, *Rhineodon*, 173
tyrannus, *Brevoortia*, 142

Umbra pygmaea, 141
undulatus hyacinthinus, *Sceloporus*, 58
undulatus, *Sceloporus*, 58
undulatus virgatus, *Sceloporus*, 276
unicuspis \times *castaneus*, 344
unicuspis, *Ichthyomyzon*, 339-345
unicuspis, *Petromyzon*, 337
uranochroa, *Hyla*, 303
Uraspis heidi, 353
ushoratus, *Mertensophryne*, 228
valdiviae, *Melanostomias*, 203
valdiviae, *Notolychnus*, 175
valliceps, *Bufo*, 235
Varanus griseus, 153
variatus xiphidium, *Xiphophorus*, 204
variatus, *Xiphophorus*, 204
variatus variatus, *Xiphophorus*, 207
variegata, *Bombina*, 275
variegata, *Japalura*, 221
variegatus, *Cyprinodon*, 142
variegatus, *Stichopus*, 255
vasta, *Hyla*, 303
Velifer hypselopterus, 144, 246
Velifer multiradiatus, 246
Velifer multispinosus, 247
velifera, *Molliesia*, 204, 207
velox, *Euleptorhamphus*, 73
venefica procera, 172
ventralis, *Ophisaurus*, 46-47
ventromaculatus, *Coluber*, 154
ventromaculatus, *Plethodon*, *welleri*, 292
vermiculatus, *Tomicodon*, 216-217
vernalis blanchardi, *Opheodrys*, 30
vernalis, *Opheodrys*, 29-31
vernalis vernalis, *Opheodrys*, 30
versicolor, *Hyla*, 47-49, 55-56, 69, 303
versicolor, *Limia*, 204
vertebralis, *Bufo*, 226
vigilis, *Xantusia*, 94, 277
Vinciguerra nimbaria, 174
virens, *Nereis*, 347

virens, *Pollachias*, 70
virescens, *Eigenmannia*, 131
virgatus, *Sceloporus*, *undulatus*, 276
viridescens, *Notophthalmus*, 74, 75
viridis, *Bufo*, 153
vitreum, *Etheostoma*, 186–192
vitreum, *Stizostedion*, 143
vittata, *Gambusia*, 204
vittata, *Limia*, 205, 207
vittatus, *Bufo*, 226
vivipara, *Nectophrynoides*, 226
vivipara, *Poecilia*, 204, 207
volucellus, *Notropis*, 354–356
Vtiesia werckliana, 307
vulpes, *Albula*, 174
vulpinus, *Alopias*, 173

welleri, *Plethodon*, 287, 289–290
welleri ventromaculatus, *Plethodon*, 292
wellmanorum, *Hyla*, 302–303
wellmanorum, *Smilisca*, 304
werckliana, *Vtiesia*, 307
wernerii, *Emoia*, 94
Werneria, 227
weyerae, *Hyla*, 303
wigginsi, *Catostomus*, 219
williamsoni, *Gasterosteus*, 348–350
williamsoni, *Gasterosteus aculeatus*, 349
williamsoni, *Prosopium*, 192–200
williamsoni williamsoni, *Gasterosteus*, 349
willsoniana, *Hyla*, 303
Wolterstorffina, 226–233
 parvipalmata, 226
woodhousei, *Bufo*, 58
woodhousei fowleri, *Bufo*, 57

Xanthichthys ringens, 179
xanthurus, *Leiostomus*, 138
Xantusia, 53
 vigilis, 94, 277
Xenopus, 42, 275–276
 laevis, 275
xolocalcae, *Chiropterotriton*, 305–310
xinguensis, *Mugil*, 67
Xiphias gladius, 177
xiphidium, *Xiphophorus*, *variatus*, 204
Xiphophorus, 205
 couchianus, 204
 helleri guntheri, 204, 205, 207
 helleri helleri, 207, 209
Xiphophorus
 maculatus, 204, 207
 montezumae cortezi, 204
 montezumae montezumae, 204, 207
 pygmaeus nigrensis, 204
 pygmaeus pygmaeus, 204, 207
 variatus, 204
 variatus variatus, 207
 variatus xiphidium, 204
Xystreurus liolepis, 115, 118

y-graecum, *Astroscopus*, 131, 132
yonahlossee, *Plethodon*, 292
yunnanensis, *Japalura*, 221

Zaocys carinatus, 3
zachirus, *Glyptocephalus*, 112–119
Zizyphus sonorensis, 99
Zootoca, 54–55
Zostera, 244
zygaena, *Sphyrna*, 173, 244

SUBJECT INDEX

Acarina, 313–314, 316–317
Acipenseridae, 142
Acrocheilus, hybrid, 71–73
African, 94–96
 bufonids, 225–233
 South, 213
agamid lizards, 221–225
age-groups, common easterri madtom, 11
age determination, skate, 258–260
aggregation, blind snakes, 368
aggression, *Plethodon*, 293
air bladder, 71
albacore, 177
Albatross, 200, 251–252, 351
Albulidae, 174
albino skink, 369–370
alewife, 142
alga, 218
allometric growth, 143, 144

Alopiidae, 173
Aloto, 257
Aluteridae, 179
American
 brook lamprey, 136, 142
 eel, 142
 shad, 142
Amiidae, 142
allometry pike, 143
ammocetes, 136
amphibians & reptiles of Iraq, distribution,
 153, 154
amphibians
 distribution, 56–58, 362–363
 Saskatchewan, 363–364
anaesthesia, fish, 9, 74
anatomy, swim bladder, 126–127
Ancient drum, 181–185
Anchoviella, 250
anomalous fins, trout, 247–248

- anchovy, bay, 142
 anchovies, 67-68, 252
 angel shark, 245
 Anguillidae, 142
 Anoplogastridae, 176
 apparatus, Weberian, 107, 132
 Archipelago, Gigedo Revilla, 216
 archibenthic fish, 354
 arctic charr, 16
 arctic charr \times brook trout hybrids, 17
 Ariidae, 101
 asensory limbs, salamander, 371-372
 association, fish and tunicate, 354
 Asterias, 243
 Astronesthidae, 134
 Atherinidae, 143
 atherinids, 101
 Atlantic
 menhaden, 142
 salmon, 142
 sailfish, 150
 silverside, 143
 sturgeon, 142
 western, 203, 210, 213
 Western North, sharks, 243-245
 Atlantis, 243
 Atoll, Rongelap, 257
 attacks, shark, 63-67, 350-351
 autumnal breeding, frog, 58-59

 Baja California, 202
 Baja California, San Juanico Bay, 252
 Balistidae, 179
 balloon fish, 178
 banded killifish, 142
 banded sunfish, 143
 barbel, 201
 bark lice, 313-314, 316-317
 barnacles, 335
 barracuda, great, 172
 Barrier, East Pacific, 172
 basking shark, 173, 244
 bass
 fingerlings, behavior, 74
 largemouth, 73-74, 143, 220
 nests, 73, 74
 rock, 143
 striped, 143
 smallmouth, 143
 bathypelagic fishes, 172
 bay anchovy, 142
 Bay, San Juanico, Baja California, 252
 beaded lizard, Mexican, 240-241
 Bear, 243
 Bear River drainage, 193
 behavior
 bass fingerlings, 74
 blind snakes, 368
 fence lizard, 276-283
 green anole, 60
 Hyla, 364-366
 lizard, 94-96
 spawning, darter, 186-192
 Surinam toad, 271-276
 bell toad, distribution, 240
 benthic fishes, 172
 benthonic tunicate, 354
 benttooth bristlemouth, 174
 bicolored bristlemouth, 174
 bigeye, 176
 scad, 176
 tuna, 177
 black
 bullhead, 142, 219
 crappie, 143
 skate, Japanese, 258
 swallower, 178
 triggerfish, 172
 blackfin shark, 350
 blacknose dace, 142
 blacktip shark, 173, 257
 bladder, air, 71
 bladder, swim, 125-130
 Blenniinae, 323
 blind snakes, aggregation, 368
 blind snakes, behavior, 368
 blood, *Heloderma*, 240-241
 turtle, 360-362
 bluefin tuna, 150
 bluefish, 178
 bluegill, 143, 220
 blue marlin, 177
 bluntnose minnow, 141
 bobtail snipe-eel, 175-176
 body temperature, fence lizard, 282
 boleosomids, 191
 bonefish, 174
 bones, interhaemal, 70-71
 bonito, ocean, 177
 bonnethead, 173
 borneensis, *Phoxophrys*, holotype, 222
 bowfin, 142
 bramble shark, 173
 Bramidae, 177
 Brazil, 83-89
 breeding
 autumnal, frog, 58-59
 toad, 40-44
 bridled shiner, 142
 bristle filefish, 172
 bristlemouth
 benttooth, 174
 bicolored, 174
 smalltooth, 174
 showy, 174

- brook lamprey, American, 136
- brook trout, 16, 74, 75, 142
- brook stickleback, 142
- brown bullhead, 72, 142
- bryozoans, 111, 313–314, 317
- buffalofishes, 338
- bufonids, African, 225–233
- bufonids, African, distribution, 225–233
- bufonids, African, morphology, 225–233
- bullhead
 - black, 142, 219
 - brown, 72, 142
 - yellow, 141
- burbot, 141
- butterfly rays, 137–139
- Cabo Blanco, Peru, 333
- caeca, pyloric, trout, 248–250
- Calanoids, 313–314, 316–317
- California, Baja, 202
- California, Gulf of, 216, 252, 333
- California pompano, 146
- call, frogs, 47–49, 83–89, 370–371
- canals, sensory, poeciliid, 203–210
- Cape region, Mexico, 334
- Cape San Lucas, 351
- carangid, 353
- Carangidae, 176
- carbon, radioactive, 181
- Carcharhinidae, 173
- Caridea, 313–314, 316–317
- carp, 72, 338
- catfishes, 101–109, 131, 142
- Catostomidae, 142
- centrarchid, 147, 220
- Centrarchidae, 143
- cephalic canal system, 203–210
- cephalopod, 243
- centrifuge, 3, 19
- Ceratiidae, 179
- ceratoid, 171
- Ceratopogonids, 313–314, 317
- Cetorhinidae, 173
- chain pickerel, 142
- chalcidoids, 313–314, 316–317
- changes, cyclic, turtle physiology, 360–362
- channel catfish, 142
- Characidae, 255
- charr, arctic, 16
- chestnut lamprey, 342
- Chiapas, Mexico, 304
- Chiasmodontidae, 178
- chironomids, 313–314, 317
- chiselmouth, 71–73
- chromosome morphology, trout, 16–19
- chub
 - chiselmouth, 72
 - creek, 142
 - peamouth, 72
- chubsucker, creek, 142
- chum salmon, 145
- cichlids, 101
- Circumtropical fishes, 171–179
- clamp, fin ray, 250
- cladocerans, 122
- Clarion Islands, 331
- clingfish, 101, 215–217
- Clupeidae, 126, 142
- clusters, egg, darter, 188
- coast, New England, 243
- Cocos Islands, 333
- Coleoptera, 111, 313–314, 316–317
- Colima, Mexico, 334
- collection, prosser trap, 71
- Colombia, 334
- coloration
 - clingfish, 216
 - Dasyptis*, 154, 155
 - fish, 211, 328, 330, 332–333
 - frogs, 83–89
 - juvenile toads, 42
 - lizard, 97–98
 - pattern, 149
 - salamander, 26–29
 - toad tadpoles, 234
- colubrid snakes, 237
- Columbia
 - redside shiner, 72
 - River dace, 72
 - River drainage, 192
- comparison
 - catfishes, 105
 - coregonine fishes, 198
 - of *Eumeces*, 25
 - frogs, 83–89
- comparative morphometry, whitefish, 192–200
- common
 - eastern madtom, 9–16
 - eastern madtom, age-groups, 11
 - jack, 176
 - hammerhead, 173
 - pearleye, 175
 - pomfret, 177
 - shiner, 142
 - snipe-eel, 175
 - thresher, 173
- communal spawning, darter, 186–192
- Connecticut, fishes of, 141–143
- copepods, 313–314, 316–317
- copulation, corn snakes, 239
- coregonine fishes, comparisons, 198
- corpora lutea, 298
- corn snakes, 239
- coregonines, 192
- Coryphaenidae, 177

- Costa Rica, 334
 Costa Rica, Isla del Coco, 334
 cottid, 145
 Cottidae, 143, 319-321
 courtship
 corn snakes, 239
 frogs, 61-63
 Hyla, 364-366
 Plethodon, 293
 Surinam toad, 271-276
 salamander, 34-40
 cowshark, sixgill, 173
 crabs, 140
 crabeater, 178
 crappie, 220
 black, 143
 white, 143
 Crawford, 243
 crayfish, 72
 creek chub, 142
 crestfish, 176
 croakers, 67, 68
 crustacean zoaea, 313-314, 316-317
 cucumber, sea, 255
 Culicids, 313-314, 316-317
 Curculids, 313-317
 cutlips minnow, 142
 Cyclopoids, 313-314, 316-317
 cyclic changes, turtle physiology, 360-362
 cyprinid, 142
 Cyprinidae, 142
 Cyprinodontidae, 142
 cyprinodontiformes, 203-210
- dace
 blacknose, 142
 Columbia River, 72
 longnose, 72, 142
 northern redbelly, 141
 speckled, 72
 Dalatiidae, 173
 Dana, 179
 dart tags, 150
 darters, 1-8
 communal spawning, 186-192
 egg deposition, 1-8, 188
 johnny, 143
 glassy, 186-192
 boleosomid, 192
 spawning behavior, 186-192
 swamp, 143
 Delaware, 243, 357
 Delaware Bay, 258
 dental types, poeciliid, 203-210
 deposition, egg, darter, 188
 determination, age, skate, 258-260
 detritus, 122
 development, salamander, 371-372
 development, toad, 40-44
 diagnosis
 African bufonids, 232
 ariid catfishes, 102
 clingfish, 215
 Phoxophrys, 222-224
 stomatoid, 201, 202
 diatoms, 122
 diet, largescale sucker, 119-125
 diet, ray, 138
 dimorphism, sexual, lizard, 221-225
 Diodontidae, 178
 diplana, *Sphyrna*, 244
 Diptera, 313-314, 316-317
 distribution
 African bufonids, 225-233
 agamid lizards, 221-225
 amphibians, 56-58, 362-363
 amphibians & reptiles of Iraq, 153, 154
 Anchoviella, 250
 bell toad, 240
 Blennioides, 331
 Chiropterotriton, 304-311
 Dasyptis, 154, 155
 Eumeces, 19-26
 frogs, 83-89
 Indian reptiles, 56-58
 lamprey, 338-345
 lizard, 97-101
 salamanders, 362-363
 dolphin, pompano, 177
 dorsal nerve, 133
 drainage
 Bear River, 193
 Columbia River, 192
 Missouri River, 192
 drum
 ancient, 181-185
 freshwater, 181-185
 drumming muscles, fish, 145
Drymarchon, size, 367-368
 duckbill ray, spotted, 174
 Durango, 284
 duration of sperm function, 1-8
 dwarf sturgeon sucker, 141
- earless lizard, reproductive cycle, 297-300
 early growth pike, 143
 eastern
 brook trout, 142
 mudminnow, 141
 Pacific, 171-173, 202, 215, 245, 322-336
 sturgeon sucker, 141
 ecology
 Anchoviella, 250
 lizard, 97-101
 Echeneidae, 178
 Echinorhinidae, 173

- eel
 - American, 142
 - electric, 130, 132
 - snake, 351-353
- eel grass, 244
- egg
 - clusters, darter, 188
 - darter, 1-8, 188
 - fish, 186
 - Notropis*, 1
 - Noturus*, 11
 - Plethodon*, 287
 - ray, 137-139
 - salamander, 44-46
 - snake, 51-53
 - trout, 260
- egg-laying, Surinam toad, 271-276
- Elasmobranchii, 258
- elasmobranchs, 171
- electric fishes, 130-134
- eleotrids, 252
- eleotrid gobies, 101
- electron, microscope, 319
- engraulid fish, 250
- Engraulidae, 67-68, 142
- embryos
 - Plethodon*, 287
 - ray, 139
- ecology, *Dasypeltis*, 154, 155
- Ecuador, 333
- Ecuador, Islas Galapagos, 333
- Esocidae, 142
- escolar, 177
- Etheostomatinae, 186
- etheostomatine fishes, survival, 68
- etymology
 - Blenniulus*, 331
 - catfish, 104
- Eurypharyngidae, 175
- extension of, range, flatfish, 254
- exilis, meristics, Bathylchnops, 149
- fallfish, 142
- fangtooth, 176
- fathead minnow, 141
- fecundity, tomcod, 347-348
- fecundity, trout, 260
- female tiger shark, 257
- feeding behavior, egg-eating snake, 59-60
- fence lizard, 276-283
- fierasferoid fishes, 255-256
- fighting, tree frogs, 61-63
- filamentous alga, 122
- filefish
 - bristle, 172
 - longtail, 179
 - unicorn, 179
- fin, anomalous, trout, 247-248
- fin ray clamp, 250
- fish and tunicate, association, 354
- fish
 - archibenthic, 354
 - anaesthesia, 74
 - balloon, 178
 - bathypelagic, 172
 - Benthic, 172
 - circumtropical, 171-179
 - clupeoid, 125-130
 - coloration, 211, 328, 330, 332-333
 - cottid, 319-321
 - Connecticut, 141-143
 - coregonine, comparisons, 198
 - drumming muscles, 145
 - eggs, 186
 - electric 130-134
 - engraulid, 250
 - fierasferoid, 255
 - freshwater, Sonora, 217-220
 - gempylid, 357-358
 - hybrids, 72, 355-357
 - inimous, 354
 - pelagic, 172
 - percid, 1-8
 - pleuronectid, 112-119
 - poeciliid, 203-210
 - porcupine, 178
 - proportions, 212
 - shore, 171
 - Sonoran, 217-220
 - stomiatoid, 134-136, 200-203
- flatfishes, 112-119
- flat needlefish, 172
- flounder, pigmentation, 346-347
- follicle size, earless lizard, 297
- fossils, frogs, 89-93
- fossil lizards, 46-47
- food habits, amphibians & reptiles, 153, 154
- food, tarpon, 311-317
- Foraminifera, 313-314, 317
- fourspine stickleback, 143
- freshwater
 - drum, 181-185
 - fishes, Sonora, 217-220
- frigate mackerel, 177
- fright reaction, fence lizard, 280
- frog
 - autumnal breeding, 58-59
 - call, 47-49, 83-89, 370-371
 - courtship, 61-63
 - distribution, 83-89
 - fossils, 89-93
 - habitat, 83-89
 - hybridization, 55-56
 - introduction, 155
 - reproduction, 61-63, 370-371
 - skeleton, 89-93

- Galapagos Islands, 333
Gambusia affinis, 204
 gametic isolation, 1-8
 Gammaridea, 313-314, 316-317
 Gasterosteidae, 142
 gempylid, 213, 357-358
 Gempylidae, 177, 210-215
 geographic variation
 lamprey, 342-344
 tadpole, 233-236
 gerrid, 101, 252
 Gerridae, 70-71
 Giledo Archipelago, Revilla, 216
Gila purpurea, 219
 glassy darter, 186-192
 glut herring, 142
 gobies, 146, 252
 gobies, eleotrid, 101
 Golfo de California, Mexico, 334
 golden shiners, 73-74, 142
 goldfish, 142
 gonads, lizard, seasonal cycles, 94-96
 Gonostomatidae, 174
 Goodeidae, 101
 grass, eel, 244
 gray marlinsucker, 178
 gray-mullets, 67
 gray sharks, 257
 great barracuda, 172
 great blue shark, 173
 great hammerhead, 173
 great plains toad, 363-364
 green anole, behavior, 60
 green sunfish, 143, 220
 grouper, 257
 growth
 allometric, 143, 144
 Johnny darter, 241-243
 lizard, 94-96, 281
 Noturus, 9-16
 turtles, 156
 growler, 245
 guará, 176
 Guerrero, Mexico, 334
 Gulf
 of California, 216, 252, 333
 of Mexico, 210
 States, 185
 gulper, 175
 gymnotids, 132
 habitat
 Chiropterotriton, 307
 darter, 186
 Eumeces, 285
 frogs, 83-89
 hammerhead shark, 244-245
 hammerhead, great, 173
 hammerhead, common, 173
 hardfin remora, 178
 Harpacticoids, 313-314, 316-317
 hatchling
 corn snakes, 239
 Plethodon, 288
 hatchlings, juveniles, lizards, 94-96
 Hawaii, 213
 Hawaiian Islands, 203
 headfish, 178
 heart rates, snakes, 236-238
 hemipenis, 155
 Hemiptera, 313-314, 316-317
 hemiramphids, 101
 herring, 129
 glut, 142
 round, 70
 Hexanchidae, 173
 hibernation, turtle, 360-362
 hickory shad, 142
 histological findings, swim bladder, 127-128
 hogchoker, 73
 holothurians, 255
 holotype, *Phoxophrys borneensis*, 222
 humpback sucker, 124
 hybrid
 arctic charr \times brook trout, 17
 chiselmouth \times squawfish, 73
 frogs, 55-56
 interspecific, 357
 lamprey, 344
 hyloid tadpoles, survival, 68
 Hymenoptera, 313-314, 316-317
 Ictaluridae, 142
 ichthyological, type specimens, 253-254
 Idiacanthidae, 174
 Illinois River, 181, 338
 index values, fish hybrids, 356
 incubation, corn snakes, 239
 Indian middens, 181-185
 Indian Ocean, 171
 Indiana reptiles, distribution, 56-58
 iniomous fish, 354
 inquilinism, 354
 intergrades, *Eumeces*, 25
 interhaemal bones, 70-71
 interspecific hybridization, snakes, 151, 152
 interspecific hybrid, 357
 introduction, frog, 155
 Iraq, 153, 154
 Isaacs-Kidd midwater trawl, 202, 245
 Isla del Coco, Costa Rica, 334
 Island
 Clarion, 331
 Cocos, 333
 Hawaiian, 203, 333-334
 Galapagos, 333

Marsh
 Revil
 San J
 Socor
 Tres
 isolation
 Isospon
 Istioph
 Isurida
 jack, co
 Japan,
 Japanes
 johnny
 juvenil
 snake
 toad,
 trout
 turtle
 karyoty
 key, Bl
 killfish
 killfish
 king m
 kyphos
 Lagoon
 lake \times
 lake tro
 lampre
 lampri
 Lampr
 lancele
 lateral
 largesc
 largem
 larvae,
 larvae,
 launce
 length
 length
 leptoc
 lice, ba
 life his
 lizard
 agan
 beha
 colo
 distr
 ecol
 fossi
 glas
 grow
 hato
 Mex
 mon
 ova,

- Marshall, 255, 257
- Revillagigedo, 322, 331
- San Juanito, 215, 217
- Socorro, 216, 331
- Tres Marias, 215-217
- isolation, gametic, 1-8
- Isospondyli, 126
- Istiophoridae, 177
- Isuridae, 177
- jack, common, 176
- Japan, 155, 200, 245
- Japanese black-skate, 258
- johnny darter, 191, 241-243
- juveniles
 - snake, 32
 - toad, 42
 - trout, 248-250
 - turtles, 155, 156
- karyotypes, 16-17
- key, Blenniinae, 323
- killifish, banded, 142
- killifish, rainwater, 142
- king mackerel, 70
- kyphoscoliosis, fence lizard, 282
- Lagoon, Rongelap, 255
- lake \times brook trout, hybrids, 17
- lake trout, 16-19, 142
- lamprey, 142, 338-345
- lampridae, 176
- Lampridiformes, 144, 245
- lancelet, southern, 172
- lateral-line nerve, 130-134
- largescale suckers, 72, 119-125, 143, 220
- largemouth bass, 73-74
- larvae, 146, 311-319
- larvae, ten-pounder, 146
- launce, sand, 70
- lengths, lamprey, 343
- length and weight, 181-185
- leptocephali, 317
- lice, bark, 313-314, 316-317
- life history, *Plethodon*, 287-297
- lizard
 - agamid, 221-225
 - behavior, 94-96
 - coloration, 97-98
 - distribution, 97-101
 - ecology, 97-101
 - fossil, 46-47
 - glass, slender, 46-47
 - growth, 94-96
 - hatchlings, juveniles, 94-96
 - Mexican beaded, 240-241
 - morphology, 97-101
 - ova, 94-96
 - pinealectomy, 276-283
 - pleistocene, 46-47
 - reproductive stages, 96
 - relationships, 98-101
 - seasonal cycles, gonads, 94-96
 - sexual dimorphism, 221-225
 - testis sizes, 96
 - variation, 97-101
- longnose dace, 72, 142
- longtail filefish, 179
- Lophotidae, 145, 176
- mackerel
 - frigate, 177
 - king, 70
 - snake, 177
- mackerel shark, 243
- Macrouridae, 176
- madtom
 - common eastern, 9-16
 - tadpole, 141
- mako shark, 243
- manta, 174
- mantasucker, 178
- Marijean, 215
- marking, 140-141
- marlin, 149-151, 177
- Marshall Islands, 255, 257
- Massachusetts, 245, 347
- mating, Surinam toad, 271-276
- measurements
 - proportional, catfish, 109
 - shark, 145
 - Carapus, 257
- Melamphaidae, 176
- menhaden, atlantic, 142
- meristics
 - Bathylchnops exilis, 149
 - Blennioides*, 323, 328-329
 - counts, catfish, 109
 - fish, 10, 112-119, 195-200, 212
 - hybrid, fish, 72
- Mexico, 217-220, 284-286, 334
- Mexico, Gulf of, 210
- Mexican beaded lizard, 240-241
- Michigan, 241, 242
- microscope, electron, 319
- middens, Indian, 181-185
- midges, 122
- midwater trawl, Isaacs-Kidd, 202, 242
- Minnesota, 184
- minnow, silvery, 141
- Mississippi River, 181, 183, 185, 338
- Missouri River, 184, 192
- mites, 313-314, 316-317
- Mobulidae, 174
- mola, slender, 178
- Molidae, 178

- Moridae, 176
 mormyrids, 132
 morphology
 African bufonids, 225-233
 agamid lizard, 221-225
 Blennioides, 326-327, 329
 carangid, 353
 Chiropterotriton, 304-311
 chromosome, trout, 16-19
 comparative, whitefish, 192-200
 cotid, 145
 fish, 211
 fish hybrids, 355-357
 lamprey, 338-345
 Letharcus, 352
 lizard, 97-101
 Physalemus, 83-89
 young pipa, 42
 Rana, 50-51
 salamander, 26-29
 skink, 369-370
 Smilisca, 300-304
 sperm, 319-321
 Surinam toad, 368-369
 timber rattlesnakes, 366-367
 toad tadpoles, 233-236
 mountain whitefish, 192-200
 movements
 fence lizard, 279
 fish, 139-141
 mosquitoes, 313-319
 mudminnow, eastern, 141
 Mugilidae, 67, 178
 mullets, 252
 striped, 73, 178
 mummichog, 142
 M/V Commando, 146
 M/V Delaware, 137, 150
 Myctophidae, 174
 Mylobatidae, 174

 Naparit, Mexico, 334
 Nauplii, 313-317
 Nayarit, Mexico, 334
 needlefish, 73, 172
 nests, bass, 73, 74
 nesting
 tree frogs, 61-63
 turtle, 155, 156
 site, *Plethodon*, 287
 neoteny, 44-46, 147
 Neoscorpelidae, 174
 New Brunswick salamanders, 362-363
 new clingfish, 215-217
 New England coast, 243
 nerve, dorsal, 133
 neuromasts, 209
 ninespine stickleback, 143

 night shark, 68
 North Atlantic, Western, sharks, 243-245
 North Carolina, 49-50
 northern pike, 142
 northern redbelly dace, 141
 Northwestern United States, map, 193
 notes, shark, 234-245
 notonectid, 313-314, 316-317
 Nova Scotia, 244
 nurse sharks, 64-66

 oarfish, 176
 ocean bonito, 177
 Ocean, Indian, 171, 172, 203
 Ohio River, 338
 oocytes, earless lizard, 297
 opah, 176
 opisthoproctid, 147
 Oregon, 210, 353-354
 organs, electric, 130
 Osmeridae, 142
 osteology, catfish, 107
 Ostracoda, 313-314, 316-317
 otoliths, 181-185, 246, 257
 ova, lizard, 94-96
 ovarian follicles, snake, 32-33
 oviducal eggs, earless lizard, 297
 oviposition
 corn snakes, 239
 Surinam toad, 271-276
 ovulation time, turtles, 60-61

 Pacific, Eastern, 171, 202, 245
 Pacific, Eastern, tropical, 215
 pacific tomcod, 145
 paddlefish, 338
 Panama, 334
 parasitic lampreys, 337-345
 parental behavior, *Plethodon*, 292
 peamouth chub, 72
 pearleye, common, 175
 pelagic fishes, 172
 Pelobatid, 89-93
 perch, 124
 pirate, 141
 trout, 141
 yellow, 143
 white, 143
 Percidae, 1-8, 143, 186
 Percomorphi, 212
 Peru, Cabo Blanco, 334
 Petromyzontidae, 142
 photophores, 135, 200
 phylogeny, 225-233
 physiographic provinces, 56-58
 physiological changes, turtle, 360-362
 pickerel, redbfin, 142

- pickerel, chain, 142
 pigmentation, 53, 148, 346-347
 pike, northern, 142-143
 pimelodids, 102
 pilotfish, 176
 pinealectomy, western fence lizard, 276-283
 pink salmon, 145
 pipefishes (Syngnathidae), 101
 pirate perch, 141
 placental transmission, snake, 53-55
 plains spadefoot toad, 363-364
 plateau, Mexican, 284
 plectognaths, 171
 pleistocene, 284
 pleistocene lizards, 46-47
 pleuronectid, fishes, 112-119
 plexiglas stream, 187
 pliocene, 89-93
 poeciliid fishes, 203-210, 252
 Poeciliidae, 101
 polka-dotted ribbonfish, 176
 pollack, 70
 Polynesia, 171
 Pomatomidae, 178
 pomfret, common, 177
 pompano, California, 146
 pompano dolphin, 177
 population structure, snake, 32
 population, snake, 29-33
 porbeagle, 145
 porcupine fish, 178
 postlarval development, largescale sucker,
 119-125
 Priacanthidae, 176
 Princess, 245
 proportions, catfish, 106, 109
 proportions, fish, 212
 protozoans, 122
 provinces, physiographic, 56-58
 prosser trap collection, 71
 Psocoptera, 313-314, 316-317
 Psyllipsocidae, 315
 pumpkinseed, 143
 pyloric caeca, trout, 248-250

 Rachycentridae, 178
 radioactive carbon, 181
 rainbow trout, 142, 247-248, 260
 rainbow runner, 176
 rainwater killifish, 142
 ragged tooth shark, 351
 range, extension of, flatfish, 254
 rattlesnakes, timber, 366-367
 rattail, 176
 ray clamp, fin, 250
 ray, spotted duckbill, 174
 recapturing, 140-141
 redbreast sunfish, 143
 red-eared turtle, 360-362
 redfin pickerel, 142
 reddsider, Columbia, 72
 red salmon, 145
 redtail triggerfish, 179
 redescription, snake eel, 351-353
 regeneration, salamander, 371-372
 Regalidae, 176
 relationships
 Chiropterotriton, 307-308
 clingfish, 216
 Eumeces, 22-23, 284-286
 lizard, 98-101
 remora, hardfin, 178
 reproduction
 corn snakes, 239
 frogs, 61-63, 370-371
 turtle, 60-61
 reproductive
 cycle, earless lizard, 297-300
 isolation, frogs, 370-371
 potential, snake, 32
 stages, lizards, 96
 tract, snake, 32-33
 Revilla Gigedo Archipelago, 216
 Revillagigedo Islands, 322, 331
 Revillagigedo Archipelago, Mexico, 331
 Rhineodontidae, 173
 Rotifera, 313-314, 317
 rough scad, 70

 sacculiths, 181
 sailfish, 149-151
 salamander
 asensory limbs, 371-372
 coloration, 26-29
 courtship, 34-40
 development, 371-372
 distribution, 371-372
 egg mass, 44-46
 neoteny, 44-46
 regeneration, 371-372
 sex recognition, 36
 spermatophore, 34-40
 tiger, 363-364
 young, 26-29
 salmon
 atlantic, 142
 chum, 145
 pink, 145
 red, 145
 sockeye, 142, 245
 Salmonidae, 142
 sand, 122
 Sandwich [Hawaiian] Islands, 333-334
 San Juanico Bay, Baja California, 252
 San Juanito Island, 215, 217
 sand lance, 70

- Saskatchewan, amphibian, 363-364
 scad, bigeye, 176
 scad, rough, 70
 scales, *Noepinnula*, 213
 scarlet kingsnakes, 49-50
 scalloped ribbonfish, 176
 (Sciaenidae), croakers, 67-68
 Scombridae, 177
 Scombrobracidae, 212
 Scombropidae, 212
 Scopelarchidae, 175
 sculpin, slimy, 143
 sea
 cucumber, 255
 lamprey, 337
 turtle, 257
 worm, 347
 seasonal
 changes, turtle, 360-362
 cycles, gonads, lizards, 94-96
 sensory canals, poeciliid, 203-210
 Serranidae, 143
 sex
 ratio, *Noturus*, 11, 14
 recognition, salamander, 36, 293
 sexual
 dimorphism, lizard, 221-225
 dimorphism, snake, 30-31, 366-367
 maturity, *Noturus*, 11
 sharks, 257
 angel, 245
 attacks, 63-67, 350-351
 blackfin, 350
 blacktip, 173, 257
 bramble, 173
 basking, 173, 244
 gray, 257
 great blue, 173
 hammerhead, 244-245
 mackerel, 243
 mako, 243
 measurements, 145
 night, 68
 nurse, 64-66
 ragged tooth, 351
 shale, 173
 tiger, 64-66, 173, 257
 vertebrae, 258
 white, 173, 243
 Western North Atlantic, 243-245
 shad
 american, 142
 hickory, 142
 sheephead minnow, 142
 shiner
 bridled, 142
 common, 142
 golden, 73, 74, 142
 redside, Columbia, 72
 spottail, 142
 shore fishes, 171
 shortnose sturgeon, 142
 showy bristlemouth, 174
 shrimp, 107, 146, 313-314, 316-317
 Sierra Madre Occidental, 284
 siluroid, 333
 Silver Bay, 354
 silverside, atlantic, 143
 silverside, tidewater, 143
 silvery minnow, 141
 Sinaloa, 218
 sinistrality, 112-119
 sixgill cowshark, 173
 size, *Drymarchon*, 367-368
 skate, age determination, 258-260
 skate, black, Japanese, 258
 skeleton
 characters, catfish, 109
 frogs, 89-93
 structure, *Smilisca*, 300-304
 skink
 albino, 369-370
 morphology, 369-370
 slender glass lizard, 46-47
 slender mola, 178
 slender snipefish, 178
 slimy sculpin, 143
 smallmouth bass, 143
 smalltooth bristlemouth, 174
 smelt, 142
 smooth-sided stickleback, 348
 smooth triggerfish, 172
 snakes, 151-152
 blind, behavior, 368
 corn, 239
 colubrid, 237
 courtship, 239
 eggs, 51-53
 egg-beating, feeding behavior, 59-60
 heart rates, 236-238
 interspecific, hybridization, 151, 152
 juveniles, 32
 ovarian follicles, 32-33
 placental transmission, 53-55
 population, 29-33
 population structure, 32
 reproductive tract, 32-33
 reproductive potential, 32
 sexual dimorphism, 30-31
 testes, 33
 variation, 29-33
 young, 51-53
 snake eel, 351-353
 snake eel, redescription, 351-353
 snakefish, 172
 snake mackerel, 177
 snapper
 snipe-eel
 bobtailed, common
 snipefish
 sockeye
 Socorro
 Sonora
 sound p
 South A
 southern
 spadefo
 Spain, 2
 specime
 spawni
 speckle
 sperm,
 sperm,
 sperma
 sperm i
 Sphyrn
 Sphyrn
 sponge
 spottai
 spotted
 spotted
 Squali
 square
 squawf
 stargaz
 States,
 steelhe
 Sterno
 stickle
 stomia
 Stomia
 stone f
 stratio
 stream
 striped
 bass
 mul
 sturge
 atlan
 shor
 sucker
 dwa
 east
 hun
 larg
 whi
 sunfish
 ban
 gree
 red
 Surina
 surviv
 surviv

- snapper, ruby, 172, 220
 snipe-eel
 bobtail, 175-176
 common, 175
 snipefish, slender, 178
 sockeye salmon, 142
 Socorro Island, 216, 331
 Sonora, freshwater fishes, 217-220
 sound production, Surinam toad, 368-369
 South Africa, 213, 350-351
 southern lancelet, 172
 spadefoot toad, plains, 363-364
 Spain, 212
 specimens, type, ichthyological, 253-254
 spawning behavior, darter, 186-192
 speckled dace, 72
 sperm, cottid, 319-321
 sperm, morphology, 319-321
 spermatophore, salamander, 34-40, 294-295
 sperm function, duration of, 1-8
 Sphyrna diplana, 244
 Sphyrnidae, 173
 sponge, 75
 spottail shiner, 142
 spotted duckbill ray, 174
 spotted newt, toxicity of the, 74, 75
 Squalidae, 173
 squaretail, 177
 squawfish, hybrid, chiselmouth, 73
 stargazer, 131
 States, Gulf, 185
 steelhead, 247
 Sternoptychidae, 174
 stickleback, 141-143, 200-203, 348-350
 stomiatoid fish, 134-136
 Stomiidae, 174
 stone fly, 123
 stratiomyids, 313-314, 317
 stream, plexiglas, 187
 striped
 bass, 143
 mullet, 73
 sturgeon
 atlantic, 142
 shortnose, 142
 sucker, 219
 dwarf sturgeon, 141
 eastern sturgeon, 141
 humpback, 124
 largescale, 72, 124
 white, 124, 142
 sunfish
 banded, 143
 green, 143, 200
 redbreast, 143
 Surinam toad, 271-276
 survival, etheostomatine fishes, 68
 survival, hyliid tadpoles, 68
 swallower, black, 178
 swamp darter, 143
 swim bladder, 125-130, 144-145
 swordfish, 177
 system, cephalic canal, 203-210
 systematics
 Chiropterotriton, 304-311
 Smilisca, 300-304
 (Syngnathidae), pipefishes, 101
 synopsis, Veliferoidei, 245-247
 tadpole, geographic variation, 233-236
 tadpole madtom, 141
 tarpon, 146, 311-319
 tarpon, larvae, food, 311-319
 taxonomy
 lamprey, 338-345
 stickleback, 348-350
 teeth, 148
 tench, 142
 ten-pounder larvae, 146
 terns, 140
 territory, tree frogs, 61-63
 testis sizes, lizards, 96
 testes, snakes, 33
 Tetragonuridae, 177
 three-spine stickleback, 141
 thresher, common, 173
 Thysanoptera, 313-314, 317
 tidewater silverside, 143
 tiger salamander, 363-364
 tiger shark, 64-66, 173, 257
 tiger trout, 74
 timber rattlesnakes, 366-367
 tinosa, 176
 toad
 bell, distribution, 240
 breeding, 40-44
 development, 40-44
 great plains, 363-364
 juveniles, 42
 Surinam, 368-369
 tadpoles, morphology, 233-236
 toadfish, 101
 tomcod
 fecundity, 347-348
 Pacific, 145
 tooth, lamprey, counts, 341, 343
 toxicity of the spotted newt, 74, 75
 Trachipteridae, 176
 transformation, *Plethodon*, 291
 trawl, midwater, Isaacs-Kidd, 245
 Tres Marias Islands, 215-217
 tree frogs, 61-63
 trawl, Isaacs-Kidd midwater, 202
 tropical Eastern Pacific, 215

- triggerfish
 black, 172
 redtail, 179
 smooth, 172
- trout
 anomalous fins, 247-248
 brook, 16, 74-75
 brown, 142
 caeca, pyloric, 248-250
 eggs, 260
 eastern brook, 142
 fecundity, 260
 juvenile, 248-250
 lake, 16-19, 142
 morphology, chromosome, 16-19
 perch, 141
 rainbow, 142, 247-248, 260
 tiger, 74
- turtle
 blood, 360
 growth, 156
 hibernation, 360-362
 juveniles, 155, 156
 nesting, 155, 156
 physiology, cyclic changes, 360-362
 pigmentation, 53
 red-eared, 360-362
 reproduction, 60-61
 sea, 257
 seasonal changes, 360-362
- tunicate, 354
- tunicate and fish, association, 354
- tuna, 149-151
 bigeye, 177
 bluefin, 150
- type specimens, ichthyological, 253-254
- unicorn filefish, 179
- United States, Northwestern, map, 193
- variation
 Anchoviella, 250
 Chiropterotriton, 304-311
- Eumeces*, 284-286
 geographic, tadpole, 233-236
 lizard, 97-101
 snake, 29-33
- Veliferidae, 144, 246
- Veliferoidei, 245-247
- vertebrae, shark, 258
- Wabash River, 338
- wahoo, 177
- walleye, 143
- water mites, 123
- Weberian apparatus, 107, 132
- weight and length, 181-185
- Western Atlantic, 203, 210, 212-213
- western fence lizard, 276-283
- western newt, 75
- Western North Atlantic sharks, 243-245
- whale shark, 173
- white
 catfish, 142
 crappie, 143
 marlin, 150
 mullet, 220
 perch, 143
 shark, 173, 243
 sucker, 124, 142
- whitefish, mountain, 192-200
- whitefish, round, 142
- whitetip shark, 173
- worm, sea, 347
- Xiphiidae, 177
- yellow
 bullhead, 141
 perch, 120
- young
 salamander, 26-29
 snake, 51-53
- zoecae, crustacean, 313-314, 316-317
- zoogeography, 216

